



Global Glove
& Safety Manufacturing, Inc.

Hand and Arm Protection

Protective Clothing



Independent
Growing
Innovating

Innovative Personal Protection



Bullhead Safety®
Cooling



FrogWear®
Protective Clothing



Bullhead Safety®
Hearing Protection



FrogWear™
Knee Protection



Bullhead Safety™
Head Protection



Bullhead Safety®
Eyewear



for more than
just your hands.



763-450-0110
GlobalGlove.com
sales@GlobalGlove.com
Ramsey, Minnesota



Table of Contents

Looking for something? Find it here.

Hand and Arm Protection

Cut Resistant.....	7
Tuffalene® Platinum	9
Tuffalene®	12
Aralene®	17
Aramid Fiber	24
TuffKut®	26
Resistance with Alycore® inside.....	27
General Purpose.....	28
Nitrile Dip	31
PU Dip	35
Rubber and PVC Dip	36
Disposables	38
Panther-Guard®	40
Medical/Exam Grade	43
Unsupported	44
Chemical Handling	48
Low Temperature.....	57
Anti-Vibration.....	67
Arc Flash	69
Oil, Gas, Construction.....	72
Mechanics/Sport Styles	78
Leather.....	85
Deerskin Drivers	86
Goatskin Drivers	87
Cowhide Drivers	88
Pigskin Drivers.....	89
Welders.....	90
High-Visibility	91
Leather Palm	93
Terrycloth	99
Hot Mill and Jersey.....	100
Cotton and Canvas.....	101
String Knits	102
Vend-Pack Gloves	104
Glove Clips.....	104
Sleeves	105
Retail Index	109

Protective Clothing

FrogWear® HV	112
Vests	113
Shirts.....	120
Jackets and Outerwear.....	122
Pants and Gaiters	124
Hats and Shades	125
Rainwear.....	126
Disposable Clothing.....	129

Knee Protection.....131

Hearing Protection.....134

Earmuffs	136
Earplugs	137

Head Protection.....138

Winter Liners.....	139
Balaclavas	140

Cooling

Aprons

Foot Protection.....143

Index.....144

Guides

Hand and Arm Protection Icons	2
ANSI Cut Standards.....	2
Glove Measuring Guide.....	4
Polymer Dips.....	5
Finish Guide	6
Cut Resistant Fibers.....	8
Disposable Glove Icons	38
Choosing Disposable Gloves.....	38
Chemical Handling Chart.....	48
Safety Wear Icons.....	110
Hearing Protection Icons	110
Choosing Hearing Protection.....	134

Table of Contents

Icon Guide

Hand and Arm Protection

 ANSI Cut Level		Adjustable Fit	 Solid Finish		Touchscreen compatible	
 NFPA 70E Arc Flash Level		Safety Cuff		Mach Finish		Retail Hang-Tagged
 ANSI Puncture Level		Washable Cuff		Rough Finish		Double Dipped
 Max Temperature		Gauntlet Cuff		Foam		Double Palm
 Fingerless		Hook & Loop Wrist		Air-Injected foam		Palm Padding
 Flame Resistant		Knit Wrist		New Foam Technology		FDA Compliant
 High-Visibility		Chevron Pattern		Xtreme Foam Technology		Reversible
 Insulated		Brick Pattern		Anti-Vibration		Glove Length
 Water Repellent		Etched/Wrinkle Finish		Dotted Pattern		Impact Protection
 Honeycomb Grip		Waffle Finish				

ANSI Cut Resistance Standards Comparison

ANSI Cut Level 1  ≥ 200 Grams
ANSI Cut Level A1  ≥ 200 Grams

ANSI Cut Level 2  ≥ 500 Grams
ANSI Cut Level A2  ≥ 500 Grams

ANSI Cut Level 3  $\geq 1,000$ Grams
ANSI Cut Level A3  $\geq 1,000$ Grams

ANSI Cut Level 4  $\geq 1,500$ Grams
ANSI Cut Level A4  $\geq 1,500$ Grams

ANSI Cut Level 5  $\geq 3,500$ Grams
ANSI Cut Level A5  $\geq 2,200$ Grams

ANSI Cut Level A6  $\geq 3,000$ Grams

ANSI Cut Level A7  $\geq 4,000$ Grams

ANSI Cut Level A8  $\geq 5,000$ Grams

ANSI Cut Level A9  $\geq 6,000$ Grams

 2005 Standard

 2015 Standard

Icons/ANSI Cut Standards



Hand and Arm Protection

Glove Measuring Guide

The proper size will provide the best protection and performance.

It is important to properly measure your hand so that gloves fit correctly.

- Wrap a soft cloth measuring tape entirely around your dominant hand, just below the knuckles. For reference, your dominant hand would be your right if you are right-handed and left if you are left-handed.
- If you don't have a soft cloth measuring tape you can wrap a piece of string around your hand and measure the length of the string using a ruler.
- Take the full circumference measurement and compare it to the chart for the recommended glove size*.



This example shows a circumference measurement of 9inches.

The recommended glove size for this user would be Large (9).

* Estimate size to the closest fit

** Hand proportions may vary

Numeric Size	Letter Size	Inches**
5	XXS	5
6	XS	6
7	S	7
8	M	8
9	L	9
10	XL	10
11	2XL	11

Glove Measuring Guide

Choosing The Right Dip Polymer

The dip polymer is important for the job at hand.

Nitrile

Nitrile is a synthetic polymer that is unusually resistant to chemicals, oils and fuels. Due to the superior strength of nitrile, gloves dipped with this polymer also have a higher abrasion resistance compared to other polymers.



Polyurethane

Polyurethane dipped gloves offer a high level of dexterity to the user. The dip also adheres through the entire glove liner, which prevents flakiness and peeling gloves.



Rubber

Rubber dipped gloves have an inherently strong grip ability and are the most elastic polymer. They perform well under extreme temperatures and do not tear easily. Rubber dipped gloves are not recommended for use with petroleum-based organic solvents.



Neoprene

Neoprene was invented to replace natural rubber in chemical handling situations. It is not susceptible to most hazardous chemicals and can be used safely. It also holds up well to UV light.



PVC

PVC is a low cost, liquid resistant polymer that performs well in petrochemical situations because of good abrasion resistance and flexibility at low temperatures.

Polymer Dips

GlobalGlove.com | 763-450-0110


Glove Finish Guide

The finish is what makes the glove unique.



Solid

Solid dip resists penetration of liquids and has an excellent dry grip.



Mach Finish

The Mach Finish dip has a higher grip rating, better wear resistance and more protection than solid or foam dipped gloves.



Dotted

Dotted gloves provide an extra level of grip and extra abrasion resistance when compared to standard dipped gloves, ensuring a better user experience.




Rough Finish

Rough finish gloves have an added level of grip and better wear resistance than solid dipped gloves.



Etched

The grip factor of etched gloves is not reduced by either wet or cold conditions.




Air-Injected Foam

While the wear resistance of air-injected foam may not be as high as other finish types, it offers enhanced dexterity and outstanding grip in wet/oily situations.



Engineered Foam

When compared to other foam dipped gloves, engineered foam has an increased level of wear resistance, good dexterity and a lower cost.



New Foam Technology

With a high degree of dexterity and grip in wet or oily conditions, New Foam Technology dipped gloves offer the user a comfortable, effective option.



Xtreme Foam Technology

A performance blended foam dip, Xtreme Foam Technology offers excellent dexterity and grip in wet or oily conditions.

Finish Guide



Cut Resistant

Choosing The Right Cut Resistant Fiber

Not all cut resistant fibers are created equal, choosing the right fiber is essential for safety and superior performance.



Tuffalene® Platinum

- Free of fiberglass and steel
- Silky smooth feeling
- Typically 20% lighter when comparing to other products of the same ANSI cut level
- Washable and bleachable
- Abrasion resistance
- Monofilament
- Highly dexterous
- Lint-free
- Not recommended for heat applications



Tuffalene® UHMWPE

- Abrasion resistance
- Washable and bleachable
- Often enhanced with glass fiber or steel
- Monofilament
- Highly dexterous
- Lint-free
- Not recommended for heat applications



ARALENE®

Aralene®

- Aramid fiber enhanced with glass fiber or steel
- Heat resistant
- Sensitive to UV light
- Not bleachable



TuffKut®

- Abrasion resistance
- Heat resistance
- Lint-free
- Washable and bleachable

Aramid Fiber

- Nonconductive
- Heat resistant
- Washable/dry clean
- Sensitive to UV light
- Not bleachable

Cut Resistant Fibers

Cut Resistance At Its Finest



Cut Resistant

GlobalGlove.com | 763-450-0110



Made with
Tuffalene®
PLATINUM

FREE from steel and glass fiber FREE from allergies and discomfort

A revolutionary solution for comfort on the job, Samurai Gloves® made with Tuffalene® Platinum fiber provide impressive cut resistance without the uncomfortable additions of glass fiber or steel.



PUG-913



Salt and Pepper Cut Resistant

- Shell is cut resistant without steel or glass fiber enhancements
- Smooth finish provides liquid protection
- Coating adheres to the liner to prevent flakiness



PUG-915



High-Visibility Cut Resistant

- Lightweight shell is cut resistant without steel or glass fiber enhancements
- Smooth finish provides liquid protection
- Coating adheres to the liner to prevent flakiness



PUG-918



Lightweight PU Coated Cut Resistant

- Offers cut resistance without steel or glass fiber enhancements
- Smooth finish provides liquid protection
- 18gauge shell ensures bare-hand sensitivity
- Coating adheres to the liner to prevent flakiness

Products	Sizes	Shell	Shell Color	Weight	Coating	Finish	ANSI Cut	EN 388 Levels
PUG-913	5(XXS)-10(XL)	Tuffalene Platinum UHMWPE	Salt and Pepper	13-Gauge	Polyurthane	Smooth	Level A4	4X43D
PUG-915	6(XS)-10(XL)	Tuffalene Platinum UHMWPE	HV Yellow	15-Gauge	Polyurethane	Smooth	Level A3	4X43C
PUG-918	5(XXS)-10(XL)	Tuffalene Platinum UHMWPE	Light Blue	18-Gauge	Polyurethane	Smooth	Level A2	3X42B

Cut Resistant

Made with
Tuffalene®
PLATINUM

Achieving high cut levels, without using glass fiber or steel, gloves made with Tuffalene® Platinum are safe for workers who have allergic reactions to fiberglass and offer none of the discomfort of steel.



CR913MF



MACH FINISH

CR915MF



MACH FINISH
HIGH VISIBILITY

CR918MF



MACH FINISH

Comfortable Cut, Abrasion Resistance

- Comfortable cut resistance
- Offers cut resistance without steel or glass fiber enhancements
- Mach Finish nitrile palm coating is excellent for grip in wet or oily situations

High-Visibility Lightweight

- Soft, comfortable cut resistance
- Offers cut resistance without steel or glass fiber enhancements
- Mach Finish nitrile palm coating is excellent for grip in wet or oily situations

Lightweight Comfort

- Flexible cut resistance
- Offers cut resistance without steel or glass fiber enhancements
- 18-gauge shell ensures bare-hand sensitivity
- Mach Finish nitrile palm coating is excellent for grip in wet or oily situations

Products	Sizes	Shell	Shell Color	Weight	Coating	Finish	ANSI Cut	EN 388 Levels
CR913MF	5(XXS)-10(XL)	Tuffalene Platinum UHMWPE	Salt and Pepper	13-Gauge	Nitrile	Mach Finish	Level A4	4X43D
CR915MF	6(XS)-10(XL)	Tuffalene Platinum UHMWPE	HV Yellow	15-Gauge	Nitrile	Mach Finish	Level A3	4X43C
CR918MF	5(XXS)-11(2XL)	Tuffalene Platinum UHMWPE	Light Blue	18-Gauge	Nitrile	Mach Finish	Level A2	4X42B

Cut Resistant

GlobalGlove.com | 763-450-0110



CR488



CR788



Lightweight Cut Resistance

- Enhanced Tuffalene shell
- Reinforced thumb crotch
- Touch-screen compatible fingers
- Flexible 18-gauge shell

High-Visibility Cut Resistance

- Enhanced Tuffalene shell
- Flexible 18-gauge shell



CR18NFT



Lightweight High-Visibility

- Comfortable 18-gauge shell



CR183NFT



High-Visibility 3/4-Dipped

- Comfortable 18-gauge shell
- 3/4-dipped to extend protection



CR18NFT-R



Lightweight High-Visibility

- Comfortable 18-gauge shell
- Reinforced thumb crotch

High-Visibility Dotted

- Comfortable 18-gauge shell
- Reinforced thumb crotch
- 3/4-dipped to extend protection

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Type	Finish	ANSI Cut	EN 388 Levels
CR488	6(XS)-11(2XL)	Tuffalene UHMWPE	HV Orange	18-Gauge	Nitrile	Palm	Foam	Level A4	3X43D
CR788	6(XS)-11(2XL)	Tuffalene UHMWPE	Salt and Pepper	18-Gauge	Nitrile	Palm	Foam	Level A4	3X43D
CR18NFT	5(XXS)-10(XL)	Tuffalene UHMWPE	HV Yellow/Green	18-Gauge	Nitrile	Palm	New Foam Technology	Level A2	4X42B
CR183NFT	7(S)-10(XL)	Tuffalene UHMWPE	HV Yellow/Green	18-Gauge	Nitrile	3/4	New Foam Technology	Level A2	4X42B
CR18NFT-R	6(XS)-10(XL)	Tuffalene UHMWPE	HV Yellow/Green	18-Gauge	Nitrile	Palm	New Foam Technology	Level A2	4X42B
CR183NFT-RD	7(S)-10(XL)	Tuffalene UHMWPE	HV Yellow/Green	18-Gauge	Nitrile	3/4	New Foam Technology	Level A2	4X42B

Cut Resistant



CR919



Reinforced, Touch Screen

- Three touch screen compatible fingers
- Reinforced thumb crotch
- Polyurethane palm dipped



CRX5



High-Visibility and High Cut

- Foam nitrile palm dipped



CRX6



Enhanced Tuffalene Shell

- Foam nitrile palm dipped
- US patent #5,965,223



CIA998MF



High-Visibility Impact Protection

- Silicone impact protection
- High-visibility yellow shell



CR998MF



High-Visibility Cut Resistant

- High-visibility yellow shell



CR999MFF



Double Dipped Protection

- High-visibility liner
- Mach Finish nitrile palm



CR898MF



Cut and Puncture Resistant

- Comfortable, dexterous shell

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Color	Finish	ANSI Cut	ANSI Puncture	EN 388 Levels
CR919	7(S)-11(2XL)	Tuffalene UHMWPE	Orange	13-Gauge	Polyurethane	Gray	Smooth	Level A4	Level 2	4543
CRX5	7(S)-11(2XL)	Tuffalene UHMWPE	HV Yellow	10-Gauge	Nitrile	Yellow	Foam	Level A6	NA	4544X
CRX6	7(S)-10(XL)	Tuffalene UHMWPE	Salt and Pepper	10-Gauge	Nitrile	Black	Foam	Level A6	NA	4544X
CIA998MF	7(S)-10(XL)	Tuffalene UHMWPE	HV Yellow	13-Gauge	Nitrile	HV Orange	Mach Finish	Level A4	Level 4	4X43DP
CR998MF	7(S)-10(XL)	Tuffalene UHMWPE	HV Yellow	13-Gauge	Nitrile	HV Orange	Mach Finish	Level A4	Level 4	4X43D
CR999MFF	7(S)-11(2XL)	Tuffalene UHMWPE	Yellow	13-Gauge	Double-Dipped Nitrile	Blue, Black	Mach Finish	Level A4	NA	4X44D
CR898MF	6(XS)-11(2XL)	Tuffalene UHMWPE	HV Green	13-Gauge	Nitrile	Black	Mach Finish	Level A4	Level 4	4X43D

Cut Resistant

GlobalGlove.com | 763-450-0110



Premium Leather Palm

- Grain cowhide palm
- Double layered, split palm
- Sewn with Aramid fiber



Salt and Pepper

- Lightweight shell
- Foam nitrile palm dipped



Medium-Weight Food Grade

- Ambidextrous
- Sold by individual glove
- Made in the USA

Lightweight Food Grade

- Ambidextrous
- Sold by individual glove
- Made in the USA

Cut Resistant Chemical Handling

- Double-dipped nitrile
- Xtreme Foam Technology palm dipped
- Flexible palm coating

Products	Sizes	Shell	Shell Color	Weight	Palm	Coating	Finish	ANSI Cut	EN 388 Levels
CR900LF	6(XS)-10(XL)	Tuffalene UHMWPE	Blue/White	7-Gauge	Grain Cowhide	NA	NA	Level A6	NA
CR700	6(XS)-10(XL)	Tuffalene UHMWPE	Salt and Pepper	13-Gauge	NA	Nitrile	Foam	Level A2	4343
CR336G	6(XS)-10(XL)	Tuffalene UHMWPE	Salt and Pepper	10-Gauge	NA	NA	NA	Level A6	3541
CR377	6(XS)-10(XL)	Tuffalene UHMWPE	Salt and Pepper	13-Gauge	NA	NA	NA	Level A4	3541
CR492	8(M)-11(2XL)	Tuffalene UHMWPE	HV Orange	18-Gauge	NA	Nitrile/PU	Xtreme Foam Technology	Level A4	4X32C

Cut Resistant



PUG-118



Ultra-Light High-Visibility

- Polyurethane palm dipped
- 18-gauge liner ensures bare-hand sensitivity



PUG-313



Lightweight and Flexible

- Polyurethane palm dipped
- White stretch-broken shell
- Individually packaged



PUG-411



Cut Resistant Dexterity

- Polyurethane palm dipped
- Individually packaged



PUG-611



Cut Resistant Dexterity

- Polyurethane palm dipped
- Individually packaged



PUG-111



Lightweight and Flexible

- Polyurethane palm dipped
- Individually packaged



PUG-417



Salt and Pepper Gray

- Polyurethane palm dipped
- Individually packaged



PUG-617



Cut Resistant Dexterity

- Polyurethane palm dipped
- Individually packaged

Also available vend-packed: PUG-111-VP

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Color	ANSI Cut	EN 388 Levels
PUG-118	5(XXS)-10(XL)	Tuffalene UHMWPE	HV Yellow	18-Gauge	Polyurethane	White	Level A2	4X42B
PUG-313	6(XS)-11(2XL)	Tuffalene UHMWPE	White	13-Gauge	Polyurethane	Gray	Level A2	4342
PUG-411	6(XS)-11(2XL)	Tuffalene UHMWPE	White	13-Gauge	Polyurethane	Black	Level A3	4X42C
PUG-611	5(XXS)-11(2XL)	HPPE	Salt and Pepper	13-Gauge	Polyurethane	Gray	Level A4	4542
PUG-111	6(XS)-11(2XL)	HPPE	Salt and Pepper	13-Gauge	Polyurethane	Gray	Level A2	4342
PUG-111-VP	6(XS)-11(2XL)	HPPE	Salt and Pepper	13-Gauge	Polyurethane	Gray	Level A2	4342
PUG-417	6(XS)-11(2XL)	Tuffalene UHMWPE	Salt and Pepper	13-Gauge	Polyurethane	Gray	Level A2	4342
PUG-617	6(XS)-11(2XL)	Tuffalene UHMWPE	Blue and White	13-Gauge	Polyurethane	Gray	Level A4	4543

Cut Resistant

GlobalGlove.com | 763-450-0110



CR617



Enhanced Cut Resistant Shell

- 13-gauge Tuffalene shell
- Abrasion resistant palm
- Foam nitrile palm dipped



CR617SC



Enhanced Cut Resistant Shell

- 13-gauge Tuffalene shell
- Safety cuff with name tag
- Foam nitrile palm dipped



CIA617V



Cut and Impact Resistant

- TPU impact protection
- Mach Finish nitrile palm dipped
- Reinforced thumb crotch



CIA417V



Cut and Impact Resistant

- TPU impact protection
- Reinforced thumb crotch
- Mach Finish nitrile palm dipped



CR317INT



Cut and Puncture Resistant

- 2-layer terry cloth insulated liner
- Water repellent
- Foam latex palm dipped



CIA317INT



Cut and Impact Resistant

- TPU impact protection
- Water repellent
- 2-layer terry cloth insulated liner
- Foam latex palm dipped

Products	Sizes	Shell	Weight	Coating	Coating Type	Finish	ANSI Cut	ANSI Puncture	EN 388 Levels
CR617	7(S)-11(2XL)	Tuffalene UHMWPE	13-Gauge	Nitrile	Palm	Foam	Level A4	NA	4X43D
CR617SC	8(M)-9(L)	Tuffalene UHMWPE	13-Gauge	Nitrile	Palm	Foam	Level A4	NA	4543
CIA617V	7(S)-11(2XL)	Tuffalene UHMWPE	13-Gauge	Nitrile	Palm	Mach Finish	Level A5	Level 3	4X43D
CIA417V	8(M)-11(2XL)	Tuffalene UHMWPE	13-Gauge	Nitrile	Palm	Mach Finish	Level A2	Level 3	4242X
CR317INT	8(M)-10(XL)	Tuffalene UHMWPE	10-Gauge	Latex	Palm	Foam	Level A5	Level 5	2X44E
CIA317INT	8(M)-11(2XL)	Tuffalene UHMWPE	10-Gauge	Latex	Palm	Foam	Level A5	Level 5	2X44E

Cut Resistant

Stay-Clean Cut Resistance with Enhanced Grip



Cut Resistant

GlobalGlove.com | 763-450-0110



ARALENE®



K500LF



Cut Resistant Leather Palm

- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Premium split cowhide leather palm
- Reinforced thumb crotch provides wear protection
- Sewn with aramid fiber

Products	Sizes	Shell	Shell Color	Weight	Palm	ANSI Cut
K500LF	8(M) - 10(XL)	Aralene	Black	7-Gauge	Split Cowhide	Level A6

Cut Resistant



355KV



Latex Coated Cut Resistant

- Unique waffle finish improves grip in wet conditions
- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Puncture resistant latex coated palm

Cut and Heat Resistance That Stays Clean

Offering heat and cut resistance with dexterity, these gloves retain their color during use. Black seamless shells hide dirt for a continually clean appearance.



CR399



Cut, Liquid and Heat Resistant

- Fully dipped latex coating
- Foam rubber palm dipped second coating
- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Puncture resistant latex coatings



CR588MF



Lightweight Cut, Heat Resistant

- Black shell, palm present clean appearance
- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Mach Finish nitrile coated palm improves grip in wet or oily situations



CR600MF



Heavyweight Cut Resistant

- High cut resistance with impressive dexterity
- Enhanced Aralene® shell offers cut resistance, heat resistance and dexterity
- Black shell, palm present clean appearance
- Mach Finish nitrile coated palm improves grip in wet or oily situations

Products	Sizes	Shell	Shell Color	Weight	Coating	Finish	ANSI Cut	EN 388 Levels
355KV	8(M)-10(XL)	Aralene	Black	10-Gauge	Latex Rubber	Waffle Pattern	Level A6	3X43F
CR399	7(S) - 10(XL)	Aralene	Yellow	10-Gauge	Double Latex Rubber	Smooth + Foam	Level A4	4X42D
CR588MF	6(XS) - 10(XL)	Aralene	Black	13-Gauge	Nitrile	Mach Finish	Level A3	3X31C
CR600MF	7(S)-10(XL)	Aralene	Black	10-Gauge	Nitrile	Mach Finish	Level A6	3X43F

Cut Resistant

GlobalGlove.com | 763-450-0110



ARALENE®



CR609



Cut, Puncture Resistant

- Composite fiber shell
 - Foam nitrile palm dipped
- Also available vend-packed: CR609-VP



CIA609



Cut and Impact Protection

- Reinforced thumb crotch
- Vibration dampening padded palm
- TPU impact protection
- Foam nitrile palm dipped



CIA609MF



Cut and Impact Protection

- Reinforced thumb crotch
- Vibration dampening padded palm
- TPU impact protection
- Mach Finish nitrile palm dipped



CIA609MFV



Cut and Impact Resistant

- Reinforced thumb crotch
- Vibration dampening padded palm
- TPU impact protection
- Mach Finish nitrile palm dipped



CIA639



Cut, Puncture Resistant

- Reinforced thumb crotch
- Vibration dampening padded palm
- Foam nitrile 3/4 dipped palm protects from liquids



CR639



Cut, Puncture Resistant

- Foam nitrile 3/4 dipped palm protects from liquids

Products	Sizes	Shell	Weight	Coating	Coating Type	Finish	ANSI Cut	ANSI Puncture	EN 388 Levels
CR609	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile	Palm	Foam	Level A4	Level 2	4X21D
CR609-VP	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile	Palm	Foam	Level A4	Level 2	4X21D
CIA609	8(M)-11(2XL)	Aralene	13-Gauge	Nitrile	Palm	Foam	Level A4	Level 2	4543
CIA609MF	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile	Palm	Mach Finish	Level A5	Level 2	4X31E
CIA609MFV	8(M)-11(2XL)	Aralene	13-Gauge	Nitrile	Palm	Mach Finish	Level A5	Level 2	4X31E
CIA639	9(L)-10(XL)	Aralene	13-Gauge	Nitrile	3/4	Foam	Level A4	Level 2	NA
CR639	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile	3/4	Foam	Level A4	Level 2	4X21D

Cut Resistant



ARALENE®



Cut Resistant with Alycore® palm

- Aralene® cut resistant shell
- Hypodermic needle resistant palm
- High-visibility shell and coating
- Etched rubber palm coating is puncture resistant

Cut, Puncture, Impact Resistant

- TPU impact protection
- Vibration dampening palm
- Etched rubber palm

Heavyweight Cut and Puncture Resistant

- Puncture resistant palm
- Etched rubber palm

Products	Sizes	Shell	Weight	Coating	Finish	ANSI Cut	ANSI Needle	EN 388 Levels	EN 407 Levels	ANSI/SEA 138
AC600KV	8(M)-10(XL)	Aralene	10-Gauge	Rubber	Etched	Level A9	Level 5	3544F	NA	NA
CIA600KV	7(S)-10(XL)	Aralene	10-Gauge	Rubber	Etched	Level A6	NA	4543	X3XXXX	Level 1
600KV	7(S)-11(2XL)	Aralene	10-Gauge	Rubber	Etched	Level A6	NA	2X44F	X3XXXX	NA



High Cut Resistance

- TPU impact protection
- High-performance palm coating

High Cut Resistance

- Lightweight cut resistant shell
- High-performance palm coating

Heat Resistant Coated

- Neoprene bi-polymer dip
- EN 407 Contact Heat Level 2

Rubber Palm Coating

- Lightweight cut resistant shell

Tested to ASTM F2675
Arc Rating(ATPV) = 8.6 Cal/cm²
Heat Attenuation Factor, HAF = 69%

Products	Sizes	Shell	Weight	Coating	Finish	ANSI Cut	ANSI ARC Flash	EN 388 Levels	EN 407 Level
CIA677	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A7	NA	4X42FP	NA
CR677	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A7	NA	4X42F	NA
CR509	7(S)	Aralene	10-Gauge	Neoprene Bi-Polymer	Solid	Level A4	Level 2	3543	4232X
CR309	7(S)-11(2XL)	Aralene	13-Gauge	Rubber	Etched	Level A4	NA	3X31	NA

Cut Resistant

GlobalGlove.com | 763-450-0110



Leather
ARALENE®



CR100MTC



CR1200



CR2100

Premium Cowhide MIG/TIG

- Cut resistant liner
- 4-inch split leather cuff
- Sewn with aramid fiber

Tested to ASTM F2675.
Arc Rating (ATPV) = 35 Cal/cm²
Heat Attenuation Factor (HAF) = 94%
NFPA 70E Arc-Flash PPE Category: 3

Premium Split Cowhide

- Heat resistant aramid fiber
- Reinforced thumb crotch
- Welding in vulnerable seams
- Reinforced wing thumb
- Cut resistant liner

Premium Split Cowhide

- Sewn with aramid fiber
- Washable PE safety cuff
- 9-oz canvas back
- Cut resistant liner

Products	Sizes	Shell	Shell Color	Palm	ANSI Cut	NFPA 70E ARC Flash
CR100MTC	7(S)-10(XL)	Grain Cowhide	Beige	NA	Level A4	Level 3
CR1200	7(S), 9(L)	Split Cowhide	Russet	NA	Level A4	NA
CR2100	8(M)-10(XL)	Canvas	Natural	Split Cowhide	Level A4	NA



K300LF



KE300LF



KS300LF



2150KFGC



Heavyweight Leather Palm

- Split cowhide over grain leather
- Reinforced thumb crotch
- Leather wrapped forefinger

Split Leather Palm

- Premium split leather
- Straight, full leather thumb

Reinforced Knuckles

- Premium split leather
- Leather knuckle strap
- Reinforced thumb crotch

Cut Resistant Split Leather

- Full leather hand welder
- Sewn with aramid
- 4 inch gauntlet cuff

Products	Sizes	Shell	Shell Color	Palm	Liner	Cuff	ANSI Cut	EN 388 Levels
K300LF	7(S)-10(XL)	Aramid	Yellow	Leather	NA	Knit Wrist	Level A5	NA
KE300LF	7(S)-10(XL)	Aralene	Yellow/Green	Split Cowhide	NA	Knit Wrist	Level A6	3X44F
KS300LF	7(S)-10(XL)	Aralene	Dark Green	Split Cowhide	NA	Knit Wrist	Level A7	3X43F
2150KFGC	8(M)-11(2XL)	Split Cowhide	Gray	NA	Aralene	Gauntlet	Level A4	NA

Cut Resistant



ARALENE®



CR3200



Cowhide Cut, Heat Resistant

- Enhanced cut resistant liner



CIA3200



Cut, Impact and Heat Resistant

- Flexible TPU impact protection
- Enhanced Aralene liner



CR3300



Premium Cut Resistant Goatskin

- Resistant to oils and abrasion
- Enhanced Aralene liner



CIA3300



Golden Goatskin + Impact

- Sewn-in palm padding
- Enhanced Aralene liner
- TPU impact protection

Tested to ASTM F2675.
Arc Rating (ATPV) = 35 Cal/cm²
Heat Attenuation Factor (HAF) = 94%
NFPA 70E Arc-Flash PPE Category: 3

Tested to ASTM F2675
Arc Rating(ATPV) = 35 Cal/cm²
Heat Attenuation Factor, HAF = 94%

Tested to ASTM F2675
Arc Rating(ATPV) = 43 Cal/cm²
Heat Attenuation Factor, HAF = 93%

Products	Sizes	Shell	Shell Color	Liner	Thumb	Impact Protection	ANSI Cut	NFPA 70E ARC Flash	EN 388 Levels
CR3200	6(XS)-11(2XL)	Grain Cowhide	White	Aralene	Keystone	NA	Level A4	Level 3	NA
CIA3200	7(S)-11(2XL)	Grain Cowhide	Gold	Aralene	Keystone	TPU	Level A4	Level 3	XXXXXP
CR3300	7(S)-10(XL)	Grain Cowhide	Gold	Aralene	Keystone	NA	Level A4	NA	NA
CIA3300	7(S)-11(2XL)	Goatskin Leather	Gold	Aralene	Keystone	TPU	Level A6	Level 4	NA



DISCONTINUED

CR1300



Loop-Out Terrycloth Style

- Enhanced cut resistance
- Abrasion resistant



CR292



Cut Resistant PVC-Nitrile

- Double dipped PVC and nitrile coating
- 12 inches long
- EN 374: AJKL



SG8800KEV



High-Visibility and Reflective

- 3M™ Scotchlite™ Reflective
- High-visibility orange shell
- Reinforced thumb crotch

Products	Sizes	Shell	Shell Color	Weight	Palm	Finish	Cuff	ANSI Cut	EN 388 Levels
CR1300	7(S)-9(L)	Aralene	Yellow/Green	7-Gauge	NA	NA	Knit Wrist	Level A7	NA
CR292	8(M)-10(XL)	Aralene	Yellow	15-Gauge	NA	Sandpaper	Open	Level A3	3X31C
SG8800KEV	8(M)-10(XL)	Aralene	HV Orange	13-Gauge	Synthetic Leather	PU Dotted	Hook and Loop	Level A4	NA

Cut Resistant

GlobalGlove.com | 763-450-0110



300KV



500KV



K300LFE

Cut, Heat Resistant

- Made with DuPont™ Kevlar® fiber
- Naturally puncture resistant palm
- Etched rubber palm dipped

Cut Resistant

- Made with DuPont™ Kevlar® fiber
- Lightweight
- Rough nitrile palm dipped

Heavyweight Leather Palm

- Reinforced thumb crotch
- Leather wrapped forefinger
- Split cowhide leather palm



K300



K300PL



K300D2

Aramid String Knit

- Regular-weight

Aramid String Knit

- Cotton and aramid plated
- Regular weight

Dotted Aramid String Knit

- Regular weight
- 7-gauge

Products	Sizes	Shell	Weight	Coating	Finish	Palm	ANSI Cut	EN 388 Levels
300KV	6(XS)-11(2XL)	Aramid	10-Gauge	Rubber	Etched	NA	Level A3	4443
500KV	6(XS)-11(2XL)	Aramid	13-Gauge	Nitrile	Rough	NA	Level A2	3342
K300LFE	7(S)-10(XL)	Aramid	7-Gauge	NA	NA	Split Leather	Level A3	3X42F
K300	Men's, Women's	Aramid	7-Gauge	NA	NA	NA	Level A2	NA
K300PL	7(S), 9(L)	Cotton/Aramid Plated	7-Gauge	NA	NA	NA	Level A2	NA
K300D2	Men's, Women's	Aramid	7-Gauge	NA	PVC-Dotted	NA	Level A2	NA

Cut Resistant



PUG-88



802



High-Visibility, Heat Resistant

- Nitrile dotted palm
- Mach Finish palm dipped
- EN 407 Contact Heat Level 3

Coated Aramid Cut Resistant

- Shell made with DuPont™ Kevlar® fiber
- Polyurethane palm dipped

Also available vend-packed: PUG-88-VP



KT1350



888KV



Aramid, Cotton Heat Resistant Blend

- Loop-out terrycloth style

Nitrile Coated with Wrist Protection

- 5-piece, 3-part shell
- Sewn with DuPont™ Kevlar® fiber
- Nitrile safety cuff
- Treated with Actifresh®



515KEV



Cut Resistant Chemical Handling

- Liner adheres to shell
- Liner made with DuPont™ Kevlar® fiber
- Diamond pattern grip

Products	Sizes	Shell	Lining	Coating	Finish	Cuff	ANSI Cut	ANSI Puncture	EN 388 Levels
PUG-88	6(XS)-11(2XL)	Aramid	NA	Polyurethane	Solid	Knit Wrist	Level A2	NA	4343
PUG-88-VP	7(S)-11(2XL)	Aramid	NA	Polyurethane	Solid	Knit Wrist	Level A2	NA	4343
802	7(S)-10(XL)	Aramid/Polyester	NA	Nitrile	Mach Finish	Knit Wrist	Level A4	NA	4X43B
KT1350	Men's, Women's	Aramid and Terrycloth	NA	NA	NA	Knit Wrist	Level A2	NA	NA
888KV	8(M)-10(XL)	Aramid	NA	Nitrile	Foam	Safety	Level A2	NA	NA
515KEV	7(S)-10(XL)	Aramid	Aramid	Nitrile	Raised Diamond	Straight	Level A2	Level 3	XXX2

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Cut Resistant

GlobalGlove.com | 763-450-0110



PUG-555TS



PUG-517TS



High-Visibility Touch Screen

- High-visibility green shell
- Heat resistant

Touch Screen Compatible

- Dark shell, palm hide dirt
- Heat resistant



CR411G



TAK515



TAK515-D2

Lightweight Food Grade

- Sold by individual glove

Heavyweight Liner

- Bleachable
- Reinforced thumb crotch

Heavyweight Liner

- Bleachable
- PVC dotted on both sides
- Reinforced thumb crotch

Products	Sizes	Shell	Shell Color	Weight	Coating	Finish	ANSI Cut	EN 388 Levels	EN 407 Levels
PUG-555TS	6(XS)-11(2XL)	TuffKut	Black	13-Gauge	Polyurethane	Solid	Level A4	4X42D	X1XXXX
PUG-517TS	7(S)-11(2XL)	TuffKut	HV Green	13-Gauge	Polyurethane	Solid	Level A4	4X42D	X1XXXX
CR411G	6(XS)-11(2XL)	TuffKut	Salt and Pepper	13-Gauge	NA	NA	Level A3	3X42C	NA
TAK515	7(S), 9(L), 10(XL)	TuffKut	Yellow	10-Gauge	NA	NA	Level A5	NA	NA
TAK515-D2	7(S), 9(L)	TuffKut	Yellow	10-Gauge	NA	NA	Level A5	NA	NA


Cut Resistant

RESISTANCE

Puncture • Cut • Needle • Abrasion

with
Alycore
inside

Alycore® delivers unparalleled results in the world of cut, puncture and needle resistance. With test results above ANSI Cut Level A9 and ANSI hypodermic needle puncture resistance level 5, gloves made with Alycore® are still lightweight, flexible, breathable and washable.



AC3200 AC2008SC	AC600KV
No Cut Protection	ANSI Cut - A6
ANSI Cut - A7 ANSI Needle - 3	ANSI Cut - A9 ANSI Needle - 3
ANSI Cut - A9 ANSI Needle - 5	ANSI Cut - A9 ANSI Needle - 5



AC2008SC



Mechanics Style with Alycore® palm

- Premium-grade goatskin grain leather
 - Hypodermic needle resistant palm
 - Heavily reinforced Armortex® thumb crotch
 - TPU impact protection on back of fingers



AC3200



Cowhide Drivers with Alycore® palm

- Premium-grade cowhide grain leather
 - Hypodermic needle resistant palm
 - Keystone thumb
 - Sewn with aramid fiber



AC600KV



Cut Resistant with Alycore® palm

- Aralene cut resistant shell
 - Hypodermic needle resistant palm
 - High-visibility shell and coating
 - Etched rubber palm coating is puncture resistant

Products	Sizes	Shell	Palm	Coating	Finish	Cuff	ANSI Cut	ANSI Needle
AC2008SC	8(M)-11(2XL)	Spandex	Reinforced Alycore®	NA	NA	Open	Level A9	Level 5
AC3200	7(S)-11(2XL)	Grain Cowhide	Reinforced Alycore®	NA	NA	Open	Level A9	Level 5
AC600KV	8(M)-10(XL)	Aralene	Reinforced Alycore®	Rubber	Etched	Knit Wrist	Level A9	Level 5

Cut Resistant

Grip and Liquid Protection For Tough Jobs



General Purpose

General Purpose



Flexible, Comfortable Protection for Gripping Power



General Purpose

Nitrile Dip



801

508XFT

550XFT



High-Visibility Heat Resistant

- Nitrile palm with dots
- EN 407 Contact Heat Level 2



Lightweight XFT Bare-Hand Sensitivity

- Flexible Xtreme Foam Technology coating
- Bare-hand sensitivity



Lightweight Nitrile Coating

- Flexible Xtreme Foam Technology coating



500

550

550B

550E



Foam Nitrile Coating

- Air-injected foam palm



Ultra-Lite Nitrile Coating

- Liquid-resistant palm



Ultra-Lite Nitrile Coating

- Foam nitrile enhances wet grip



Ultra-Lite Nitrile Coating

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Type	Finish	EN 388 Levels	EN 407 Level
801	7(S)-10(XL)	Acrylic/Polyester/Spandex	HV Orange	13-Gauge	Nitrile	Palm	Mach Finish	4121X	X2XXXX
508XFT	7(S)-10(XL)	Nylon/Spandex	Cobalt Blue	15-Gauge	Nitrile/PU	Palm	Xtreme Foam Technology	4131	NA
550XFT	5(XXS)-10(XL)	Polyester/Spandex	Purple	13-Gauge	Nitrile/PU	Palm	Xtreme Foam Technology	4121X	NA
500	6(XS)-10(XL)	Nylon	White	13-Gauge	Nitrile	Palm	Air-Injected Foam	4121	NA
550	6(XS)-10(XL)	Nylon	White	13-Gauge	Nitrile	Palm	Solid	4121	NA
550B	7(S)-10(XL)	Nylon	Black	13-Gauge	Nitrile	Palm	Foam	4121	NA
550E	7(S)-10(XL)	Polyester	White	13-Gauge	Nitrile	Palm	Solid	NA	NA

General Purpose

GlobalGlove.com | 763-450-0110

Nitrile



500MF



Light Cut Resistance

- Double-dipped palm coating

Also available hang-tagged: 500MF-T



500NFT



New Foam Technology Nitrile

- Comfortable nylon and elastic shell

Also available hang-tagged: 500NFT-T



500G



Mach Finish Palm

- Lightweight nylon shell

Also available hang-tagged: 500G-T
Also available vend-packed: 500G-VP



508NFT-TS



500NFTD



530NFTD



530MFG



New Foam Technology Nitrile

- Touch screen fingertips
- Reinforced thumb crotch

New Foam Technology Nitrile

- Nitrile dots improve grip

New Foam Technology Nitrile

- Nitrile dots improve grip

Mach Finish Coating

- Double-dipped nitrile coating

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Type	Finish	ANSI Cut	EN 388 Levels
500MF	6(XS)-11(2XL)	Nylon	Red	13-Gauge	Double Nitrile	Palm	Mach Finish	Level A1	4131X
500MF-T	7(S)-10(XL)	Nylon	Red	13-Gauge	Double Nitrile	Palm	Mach Finish	Level A1	4131X
500NFT	6(XS)-11(2XL)	Nylon/Elastic	Gray	15-Gauge	Nitrile	Palm	New Foam Technology	NA	4131X
500NFT-T	7(S)-10(XL)	Nylon/Elastic	Gray	15-Gauge	Nitrile	Palm	New Foam Technology	NA	4131X
500G	6(XS)-11(2XL)	Nylon	Gray	13-Gauge	Nitrile	Palm	Mach Finish	NA	3131X
500G-T	7(S)-10(XL)	Nylon	Gray	13-Gauge	Nitrile	Palm	Mach Finish	NA	3131X
500G-VP	7(S)-11(2XL)	Nylon	Gray	13-Gauge	Nitrile	Palm	Mach Finish	NA	3131X
508NFT-TS	6(XS)-10(XL)	Nylon	Green/Black	15-Gauge	Nitrile	Palm	New Foam Technology	NA	4131X
500NFTD	7(S)-10(XL)	Nylon/Elastic	Gray	15-Gauge	Nitrile	Palm	New Foam Technology	NA	4131X
530NFTD	6(XS)-10(XL)	Nylon/Elastic	Gray	15-Gauge	Nitrile	3/4	New Foam Technology	NA	4131X
530MFG	7(S)-10(XL)	Nylon	Gray	15-Gauge	Double Nitrile	3/4	Mach Finish	NA	4131X

General Purpose

Nitrile And Rubber Dip



540



Foam Nitrile Dipped

- Open cuff



510MFV



High-Visibility Flexibility

- Hook and loop cuff



590



Double Nitrile Dipped

- Full solid nitrile coating
- 3/4 foam nitrile coating



590MF



Double Nitrile Dipped

- Full solid nitrile coating
- Full Mach Finish nitrile coating
- Waterproof

Products	Sizes	Shell	Shell Color	Weight	Coating	1st Coating Finish	2nd Coating Finish	Coating Type	Finish	EN 388 Levels
540	8(M)-10(XL)	Nylon	Black	15-Gauge	Nitrile	NA	NA	Full	Foam	4121
510MFV	7(S)-10(XL)	Nylon	HV Orange	13-Gauge	Nitrile	NA	NA	Palm	Mach Finish	NA
590	6(XS)-11(2XL)	Polyester	White	15-Gauge	Double Nitrile	Solid	Foam	NA	NA	NA
590MF	8(M)-10(XL)	Polyester/Cotton	Black	NA	Double Nitrile	Solid	Mach Finish	NA	Mach Finish	4141



S988

Purple Rubber Coated



S966

Rubber Coated String Knit



S966E

Rubber Coated Economy String Knit

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Color	Finish
S988	8(M)-9(L)	String Knit	Navy Blue	Medium	Rubber	Purple	Solid
S966	7(S)-10(XL)	String Knit	Natural	Medium	Rubber	Blue	Solid
S966-LT	9(L)-2PK Tagged	String Knit	Natural	Medium	Rubber	Blue	Solid
S966E	One Size	String Knit	Natural	Medium	Rubber	Blue	Solid

General Purpose

GlobalGlove.com | 763-450-0110

Nitrile Dip



400



3/4 Dipped Blue Nitrile



400FC



Fully Dipped Blue Nitrile



417NC



Fully Dipped Solid Nitrile



600



3/4 Dipped Blue Nitrile



607



3/4 Dipped Blue Nitrile



607R



3/4 Dipped Blue Nitrile



617



Fully Dipped Blue Nitrile



617R



Fully Dipped Blue Nitrile

Products	Sizes	Liner	Coating	Coating Type	Finish	Finish
400	7(S)-11(2XL)	Polyester/Cotton Interlock	Nitrile	3/4	Solid	Solid
400FC	7(S)-10(XL)	Polyester/Cotton Interlock	Nitrile	Full	Solid	Solid
417NC	9(L)-10(XL)	Polyester/Cotton Interlock	Nitrile	Full	Solid	Solid
600	8(M)-10(XL)	Two Piece Jersey Liner	Nitrile	3/4	Solid	Solid
607	8(M)-11(2XL)	Two Piece Jersey Liner	Nitrile	3/4	Solid	Solid
607R	10(XL)	Two Piece Jersey Liner	Nitrile	3/4	Rough	Rough
617	10(XL)	Two Piece Jersey Liner	Nitrile	Full	Solid	Solid
617R	10(XL)	Two Piece Jersey Liner	Nitrile	Full	Rough	Rough

General Purpose



PUG-10



PUG-11

PUG-13



PUP-27

Bare-Hand Sensitivity

- Individually packaged

HV Bare-Hand Sensitivity

- Individually packaged

Bare-Hand Sensitivity

- Individually packaged

Polyurethane Performance

- Improved grip over standard PU

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Type	Coating Color	EN 388 Levels
PUG-10	5(XXS)-11(2XL)	Polyester	Black	13-Gauge	Polyurethane	Palm	Gray	3131
PUG-11	6(XS)-11(2XL)	Nylon	HV Yellow/Green	13-Gauge	Polyurethane	Palm	White	4131
PUG-13	6(XS)-11(2XL)	Nylon	Gray	13-Gauge	Polyurethane	Palm	Gray	4131
PUP-27	7(S)-10(XL)	Nylon/Spandex	Black	15-Gauge	PU/Nitrile	Palm	Black	4121



PUG-13TS



PUG-14TS



PUG-12



PUG-17

Bare-Hand Sensitivity

- Touch screen compatible

Bare-Hand Sensitivity

- Touch screen compatible

Electrostatic Compliant

- ANSI/ESD S20.20-2014 compliant
- Individually packaged

Electrostatic Compliant

- ANSI/ESD S20.20-2014 compliant
- Individually packaged

Also available vend-packed for vending machines: PUG-17-VP

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Type	Coating Color	EN 388 Levels
PUG-13TS	7(S)-10(XL)	Nylon	Gray	13-Gauge	Polyurethane	Palm	Gray	4131
PUG-14TS	6(XS)-10(XL)	Nylon	Green/Black	13-Gauge	Polyurethane	Palm	Black	4131
PUG-12	6(XS)-11(2XL)	Nylon	White	13-Gauge	Polyurethane	Palm	White	4131
PUG-17	5(XXS)-12(3XL)	Nylon	Black	13-Gauge	Polyurethane	Palm	Black	4131
PUG-17-VP	6(XS)-11(2XL)	Nylon	Black	13-Gauge	Polyurethane	Palm	Black	4131

General Purpose

Rubber and PVC Dip



300P



Premium Etched Rubber

- Ergonomic hand shape
- Puncture resistant palm

Also available hang-tagged: 300PT



300



Flexible Rubber Palm

- Puncture resistant palm

Also available vend-packed: 300-VP



300NB



Comfortable High-Visibility

- Puncture resistant palm
- Comfortable hand shape



300NBE



Comfortable High-Visibility

- Puncture resistant palm



300E



Economy Rubber Palm

- Dark shell hides dirt



330



Premium Etched Rubber

- Puncture resistant palm
- 3/4 coating protects from liquids

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Type	Coating Color	Finish	EN 388 Levels
300P	7(S)-11(2XL)	Polyester/Cotton	Gray	10-Gauge	Rubber	Palm	Blue	Etched	3142X
300PT	7(S)-10(XL)	Polyester/Cotton	Gray	10-Gauge	Rubber	Palm	Blue	Etched	3142X
300	6(XS)-11(2XL)	Polyester/Cotton	Gray	10-Gauge	Rubber	Palm	Blue	Etched	2242
300-VP	7(S)-10(XL)	Polyester/Cotton	Gray	10-Gauge	Rubber	Palm	Blue	Etched	2242
300NB	6(XS)-10(XL)	Acrylic	HV Yellow	10-Gauge	Rubber	Palm	Black	Etched	2242X
300NBE	7(S)-10(XL)	Polyester	HV Yellow	10-Gauge	Rubber	Palm	Blue	Etched	2142X
300E	7(S)-10(XL)	Polyester/Cotton	Dark Gray	10-Gauge	Rubber	Palm	Blue	Economy Etched	NA
330	8(M)-10(XL)	Polyester/Cotton	Gray	10-Gauge	Rubber	3/4	Blue	Etched	2242

General Purpose

Rubber and PVC Dip



440



Fully Dipped All-Weather

- Excellent grip and dexterity
- Flexible double-dipped latex



660E



Economy Wrinkle Finish

- 5-piece cotton flannel shell
- Stiff safety cuff protects wrists



660



Premium Wrinkle Finish

- 5-piece cotton flannel shell
- Stiff safety cuff protects wrists



2740D



PVC Chemical Handling

- 10.5 inches long
- Fully-dipped for chemical resistance

Products	Sizes	Shell	Shell Color	Coating	1st Coating Type	2nd Coating Type	Coating Color	Finish	Cuff
440	7(S)-10(XL)	Nylon	Red	Double Latex	Full	3/4	Black	Wrinkle	Open
660E	10(XL)	5 Piece Cotton Canvas	Natural	Rubber	NA	NA	Yellow	Wrinkle	Rubberized Safety
660	One Size	5 Piece Cotton Canvas	Natural	Rubber	NA	NA	Yellow	Wrinkle	Rubberized Safety
2740D	9(L)	Cotton	Natural	Double PVC	NA	NA	Black over Yellow	Sanded	Safety



300RV



10-Gauge Red

- Palm-dipped for grip



303RV



13-Gauge Blue Nylon

- Palm-dipped for grip
- Secured wrist



360



13-Gauge Green Nylon

- Soft, flexible and lightweight
- Palm-dipped for grip



360HV



Lightweight High-Visibility

- Palm dipped for grip
- Soft and flexible

Products	Sizes	Shell	Shell Color	Weight	Coating	Coating Color	Finish	Cuff	EN 388 Levels
300RV	8(M)-10(XL)	Polyester/Cotton	Red	10-Gauge	Rubber	Black	Etched	Hook and Loop	2143X
303RV	8(M)-10(XL)	Nylon	Blue	13-Gauge	Rubber	Black	Etched	Hook and Loop	NA
360	7(S)-10(XL)	Nylon	Green	13-Gauge	Rubber	Black	Foam	Knit Wrist	2131
360HV	7(S)-11(2XL)	Proprietary Elastic Fiber	HV Yellow	15-Gauge	Rubber	HV Orange	Foam	Knit Wrist	2131X

General Purpose

GlobalGlove.com | 763-450-0110

Choosing A Disposable Glove

Disposable gloves are available in several material options with a wide variety of grip styles.

Nitrile

Highly versatile, allergy conscious alternative to latex with three times the puncture resistance.



Latex

Standard disposable gloves. Elastic fitting, with comfort and dexterity advantage.



Vinyl

Economic choice for short-term, low-risk situations

Icon Guide

Disposable, Unsupported And Chemical Handling



Powdered



With Aloe



Honeycomb Grip



Powder-Free



Reusable



Sanded Bisque



Flocklined



Smooth Grip



Diamond Grip



Medical Grade



Textured Grip



Fishscale Grip



FDA Compliant



Retail Ready



Tractor Tread Grip



Wrinkle Finish



Micro-Diamond Grip

Disposable Glove Options



Disposables

Disposable Gloves for the Job At Hand

Raised micro diamond improves grip for any situation: wet, oily or dry.

Premium 9mil nitrile is latex-free and resistant to many chemicals.



1005PF

Extra-long, rolled/beaded cuff prevents liquid from running down the arm and protects wrists from splashes and spills.

Disposable Gloves

Panther-Guard® Disposables



675PF



695PF



775PF

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
675PF	S-XL	Nitrile	6 mil	11 in	Yes	Rolled/Beaded	50
695PF	S-XL	Nitrile	6 mil	11 in	Yes	Rolled/Beaded	50
775PF	S-XL	Nitrile	6 mil	9.5 in	Yes	Rolled/Beaded	100



800F



905PF

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
800F	S-2XL	Nitrile	8 mil	11 in	Yes	Rolled/Beaded	50
905PF	S-2XL	Nitrile	7 mil	9.5 in	Yes	Rolled/Beaded	100



908BPF



965BPF



1005PF

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
908BPF	S-2XL	Nitrile	6 mil	9.5 in	Yes	Rolled/Beaded	100
965BPF	S-2XL	Nitrile	6 mil	9.5 in	Yes	Rolled/Beaded	100
1005PF	S-2XL	Nitrile	9 mil	11 in	Yes	Rolled/Beaded	50

Disposable Gloves

GlobalGlove.com | 763-450-0110



705PF

705BPF

705PFE

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
705PF	XS-2XL	Nitrile	5 mil	9.5 in	Yes	Rolled/Beaded	100
705BPF	S-2XL	Nitrile	5 mil	9.5 in	Yes	Rolled/Beaded	50
705PFE	XS-XL	Nitrile	3.5 mil	9.5 in	Yes	Rolled/Beaded	100



305

305PF

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
305	S-L-XL	Latex Rubber	5 mil	9.5 in	No	Rolled/Beaded	100
305PF	S-XL	Latex Rubber	5 mil	9.5 in	Yes	Rolled/Beaded	100



505

505PF

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
505	S-XL	Vinyl	5 mil	9.5 in	No	Rolled/Beaded	100
505PF	S-XL	Vinyl	5 mil	9.5 in	Yes	Rolled/Beaded	100

Disposable Gloves

Medical/Exam Grade

These gloves meet the standard for medical/exam grade disposable gloves and may be used in medical offices, funeral homes, and childcare centers.



≤ 2.5 AQL



805PF



605PF



705PFE-MD



505PF-MD

Product	Sizes	Material	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
805PF	S-2XL	Nitrile	8 mil	11 in	Yes	Rolled/Beaded	50
605PF	S-XL	Nitrile	6 mil	12 in	Yes	Rolled/Beaded	100
705PFE-MD	S-XL	Nitrile	3.5 mil	9.5 in	Yes	Rolled	200
505PF-MD	S-XL	Vinyl	5 mil	9.5 in	Yes	Rolled/Beaded	100

Disposable Gloves

Ambidextrous Chemical Resistance



Unsupported



Unsupported



Frogwear® Unsupported

Up to your elbows in trouble? We've got a glove for that!



511AMB

515

515F

515KEV

522



Product	Sizes	Shell	Thickness	Lining	Length	Finish	Cuff	EN 388 Levels	EN 374 Level
511AMB	7(S)-10(XL)	Nitrile	11 mil	NA	12 in	Wave Pattern	Rolled	NA	NA
515	7(S)-12(3XL)	Nitrile	12 mil	NA	13 in	Raised Diamond	Straight	3101	AJKL
515F	7(S)-12(3XL)	Nitrile	15 mil	Flock Lined	13 in	Raised Diamond	Straight	3101	AJKL
515KEV	7(S)-10(XL)	Nitrile	12 mil	Aramid	13 in	Raised Diamond	Straight	XXX2	NA
522	8(M)-11(2XL)	Nitrile	22 mil	NA	18 in	Raised Diamond	Straight	NA	NA



120

130

150

509B



Product	Sizes	Shell	Color	Thickness	Length	Finish	Cuff
120	7(S) - 10(XL)	Latex/Nitrile	Cobalt Blue	12 mil	12 in	Fishscale	Straight
130	7(S), 9(L)-10(XL)	Latex	Cobalt Blue	13 mil	12 in	Diamond	Straight
150	7(S)-11(2XL)	Latex Rubber	Cobalt Blue	17 mil	12 in	Diamond	Straight
509B	7(S)-11(2XL)	Nitrile	Cobalt Blue	9 mil	13 in	Raised Diamond	Straight

Unsupported

FrogWear® Rubber

Rubber gloves: protecting hands for over 100 years.



190ETC



160



150F



150FE



Product	Sizes	Shell	Color	Thickness	Lining	Finish	Length	Cuff
190ETC	8(M) - 10(XL)	Latex Rubber	Natural	19 mil	NA	Wrinkle Pattern	13 in	Straight
160	7(S)-10(XL)	Latex Rubber	Natural	16 mil	NA	Fishscale	12 in	Straight
150F	7(S)-10(XL)	Latex Rubber	Yellow	18 mil	Flock Lined	Diamond	12 in	Rolled
150FE	7(S)-10(XL)	Latex Rubber	Yellow	Economy	Flock Lined	Diamond	12 in	Rolled



30FT



180F



244



140FB



895



Product	Sizes	Shell	Color	Thickness	Lining	Finish	Length	Cuff
30FT	7(S)-11(2XL)	Latex Rubber	Orange	30 mil	Flock Lined	Honeycomb	13 in	Straight
180F	7(S)-11(2XL)	Latex Rubber	Orange	18 mil	Flock Lined	Honeycomb	12 in	Rolled
244	7(S)-10(XL)	Neoprene over Rubber	Blue/Yellow	28 mil	Flock Lined	Honeycomb	13 in	Straight
140FB	7(S)-10(XL)	Latex Rubber	Light Blue	18 mil	Flock Lined	Diamond	12 in	Straight
895	10(XL)	Natural Rubber	Black	44 mil	None	Etched	23 in	Straight

Unsupported

GlobalGlove.com | 763-450-0110

Chemical Handling Chart

Chemical	0 = Not recommended				1 = Poor				2 = Fair				3 = Good				4 = Excellent			
	Nitrile	Latex	PVC	Neoprene	Chemical	Nitrile	Latex	PVC	Neoprene	Nitrile	Latex	PVC	Neoprene	Nitrile	Latex	PVC	Neoprene			
Acetaldehyde	1	2	0	4	Iso-Octane	4	0	1	4	4	0	3	4	4	0	1	4	4		
Acetic Acid	3	3	2	4	Isopropyl Alcohol	4	4	3	4	4	1	2	4	4	1	3	4	4		
Acetone	0	3	0	3	Kerosene	4	4	4	4	4	1	2	4	4	1	2	4	4		
Acetonitrile	0	2	0	2	Lactic Acid	4	4	4	4	4	3	2	4	4	1	2	4	4		
Ammonium Hydroxide < 30%	4	3	4	4	Lauric Acid	4	3	2	4	4	1	3	4	4	1	2	4	4		
Amyle Acetate	4	2	1	0	Linoleic Acid	4	1	3	4	4	1	2	4	4	1	3	4	4		
Amyl Alcohol	3	3	0	1	Linseed Oil	4	1	4	4	4	1	3	4	4	1	2	4	4		
Aniline	0	1	2	3	Maleic Acid	4	1	3	4	4	1	2	4	4	1	3	4	4		
Animal Fats	4	1	3	4	Methyl Acetate	1	1	0	4	4	0	3	4	4	0	1	3	4		
Battery Acids	4	3	4	4	Methyl Alcohol	4	4	3	4	4	4	4	4	4	4	4	3	4		
Benzaldehyde	0	2	0	0	Methylamine	4	4	4	4	0	0	0	0	0	0	0	0	0		
Benzene	1	0	0	0	Methyl Bromide	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benzoyl Chloride	0	1	0	0	Methylene Chloride	0	0	0	0	0	0	0	0	0	0	0	0	0		
Butane	4	1	1	2	Methyl Ethyl Ketone(MEK)	0	3	0	3	0	3	0	3	0	3	0	3	0		
Butyl Acetate	2	1	0	0	Methyl Isobutyl Ketone	1	2	0	0	1	2	0	0	0	0	0	0	0		
Butyl Alcohol	1	4	3	4	Methyl Methacrylate	1	1	0	0	1	1	0	0	0	0	0	0	0		
Butyl Cellusolve	4	4	0	4	Mineral Oil	4	1	2	4	4	1	2	4	4	1	2	4	4		
Carbon Acid	1	1	3	4	Mineral Spirits	4	0	2	3	4	0	2	3	4	0	1	3	4		
Carbon Disulfide	0	0	0	0	Monoethanolamine	4	3	4	4	4	3	4	4	4	3	4	4			
Carbon Tetrachloride	3	0	0	1	Morpholine	0	3	0	1	0	3	0	1	0	3	0	1			
Castor Oil	4	4	4	4	Muriatic Acids	3	3	3	4	3	3	3	4	3	3	3	4			
Cellosolve Acetate	3	3	0	4	Naphtha V.M & P.	4	0	1	3	3	0	1	3	3	0	1	3			
Cellosolve Solvent	3	4	0	4	Nitric Acid < 30%	1	3	3	4	1	2	2	3	0	1	2	3			
Chlorobenzene	0	0	0	0	Nitric Acid 70%	0	2	2	2	0	1	1	0	0	1	0	0			
Chloroform	2	0	0	2	Nitrile Acid Red Fuming	0	1	1	0	1	1	1	0	0	1	0	0			
Chloronaphthalens	2	0	0	0	Nitrile Acid White Fuming	0	1	1	0	1	1	1	0	0	1	0	0			
Chloroethene VG	2	0	1	0	Nitrobenzene	0	1	0	0	1	0	0	0	0	1	0	0			
Chromic Acid	2	0	3	2	Nitromethane	2	3	1	0	2	3	1	0	2	3	1	0			
Citric Acid	4	4	4	4	Nitropropane	0	4	0	4	0	4	0	4	0	4	0	4			
Cottonseed Oil	4	1	3	4	Octyl Alcohol	4	3	2	4	4	3	2	4	4	3	2	4			
Cresols	3	1	2	3	Oleic Acid	4	1	2	3	4	1	2	3	4	1	2	3			
Cutting oil	4	2	1	4	Paint remove	3	2	1	3	3	2	1	3	3	2	1	3			
cyclohexane	4	1	1	2	Palmitic Acid	3	3	3	3	3	3	3	3	3	3	3				
Cyclohexanol	4	1	3	4	Pentachlorophenol	4	1	2	4	4	1	2	4	4	1	2				
Dibutyl Phthalate	3	1	3	2	Pentane	4	1	0	1	4	1	0	1	4	1	0				
Diethylamie	2	0	0	1	Perchloric Acid 60%	4	1	0	1	4	1	0	1	4	1	0				
Di-Isobutyl Ketone	4	1	1	1	Potassium Hydroxide < 50%	3	4	4	4	3	0	0	0	3	0	0				
Dimethyl Formamide(DMF)	0	4	0	3	Printing Ink	4	3	2	3	4	3	2	3	4	3	2				
Dimethyl Sulfoxide(DMSO)	4	4	0	4	Propyl Acetate	2	1	0	1	4	1	0	1	4	1	0				
Dicotyl Phthalate(DOP)	3	1	0	3	Propyl Alcohol	4	4	2	4	4	4	2	4	4	4	2				
Dioxane	0	0	0	0	Perchloroethylene	3	0	0	0	3	0	0	0	3	0	0				
Ethyl Acetate	0	1	0	2	Phenol	0	3	3	4	0	3	3	4	0	3	3				
Ethyl Alcohol	4	4	3	4	Phosphoric Acid	4	3	3	4	4	3	3	4	4	3	3				
Ethylene Dichloride	0	1	0	0	Picric Acid	4	3	4	4	4	3	4	4	4	3	4				
Ethylene Glycol	4	4	4	4	Propylene Oxide	0	1	0	0	4	1	0	0	4	1	0				
Ethyl Ether	4	0	0	4	Rubber Solvent	4	0	0	0	4	0	0	0	4	0	0				
Ethylene Trichloride	1	1	0	1	Sodium Hydroxide < 50%	3	4	3	4	3	4	3	4	3	4					
Formaldehyde	4	4	4	4	Stoddard Solvent	4	1	0	1	4	1	0	1	4	1	0				
Formic Acid	2	4	4	4	Styrene	0	0	0	0	0	0	0	0	0	0	0				
Freon	2	0	0	3	Sulfuric Acid 95%	3	0	0	0	3	0	0	0	3	0	0				
Furfural	0	4	0	3	Tannic Acid	4	4	4	4	4	4	4	4	4	4	4				
Gasoline	4	0	1	1	Tetrahydrofuran(THF)	0	0	0	0	0	0	0	0	0	0	0				
Glycerin	4	4	4	4	Toluene	3	0	0	0	3	0	0	0	3	0	0				
Hexane	4	0	0	4	Toluene Di-Isocyanate(TDI)	0	1	1	1	0	1	1	0	0	1	0				
Hydraulic Fluid Petroleum Based	4	1	3	2	Trichloroethylene(TCE)	3	0	0	0	3	0	0	0	3	0	0				
Hydraulic Fluid Easter Based	1	1	1	1	Tricresyl Phosphate(TCP)	4	3	2	2	4	3	2	2	4	3	2				
Hydrazine 65%	4	3	4	4	Triethanolamine 85%(TEA)	4	3	4	4	4	3	4	4	4	3	4				
Hydrochloric Acid	4	4	4	3	Tung Oil	4	0	2	2	4	0	2	2	4	0	2				
Hydrofluoric Acid	4	4	4	3	Turbine Oil	3	1	2	2	4	1	2	2	4	1	2				
Hydrogen Peroxide	4	4	4	4	Turpentine	4	1	1	1	4	1	1	1	4	1	1				
Hydroquinone	4	4	4	3	Vegetable Oil	4	1	2	2	4	1	2	2	4	1	2				
Isobutyl Alcohol	4	4	2	4	Xylene	3	0	0	0	3	0	0	0	3	0	0				

Chemical Handling Chart



Chemical Handling

Anti-Vibration and Resistance to Chemicals



Chemical Handling

Frogwear® Chemical Handling

FrogWear® chemical handling gloves are specially formulated for handling of chemical residues, oils, or greasy materials.



CR492



Cut Resistant Chemical Handling

- Double-dipped nitrile
- Xtreme Foam Technology palm dipped
- Flexible palm coating



CR292



Cut Resistant PVC-Nitrile

- Double dipped PVC and nitrile coating
- 12 inches long
- EN 374: AJKL



590MF



Double Nitrile Dipped

- Full solid nitrile coating
- Full Mach Finish nitrile coating
- Waterproof



8490



Premium PVC

- Highly flexible down to -5°
- Rough sandpaper finish
- Also available hang-tagged: 8490-T



8490MT



Premium PVC

- Highly flexible down to -5°
- Rough sandpaper finish
- Heavy velvet interior



8450



Extreme Cold Anti-Freeze Nitrile

- Flexible down to -50° F
- Reflective overcasting and logo
- 2 inch velvet cuff interior

Products	Sizes	Shell	Coating	Color	Finish	Cuff	ANSI Cut	EN 388 Levels	EN 511 Levels
CR492	8(M)-11(2XL)	Tuffalene UHMWPE	Nitrile/PU	Dark Cyan	Xtreme Foam Technology	Pinked	Level A4	4X32C	NA
CR292	8(M)-10(XL)	Aralene	PVC/Nitrile	Black	Sandpaper	Open	Level A3	3531C	NA
590MF	8(M)-10(XL)	Polyester/Cotton	Double Nitrile	Gray, Black	Mach Finish	Open	NA	4141	NA
8490	8(M)-10(XL)	Brushed Terrycloth	Triple PVC	Blue	Sandpaper	Open	NA	3221X	NA
8490-T	8(M)-10(XL)	Brushed Terrycloth	Triple PVC	Blue	Sandpaper	Open	NA	3221X	NA
8490MT	One Size	Brushed Terrycloth	Triple PVC	Blue	Sandpaper	Open	NA	4121	NA
8450	8(M)-10(XL)	Honeycomb Mesh	Anti-Freeze Nitrile	HV Orange	Sandpaper	Heavy Velvet Interior	NA	3221X	121

Chemical Handling

GlobalGlove.com | 763-450-0110



FrogWear® Chemical Handling

Flexible protection, some even in low temperatures.



212

12 INCH



282



2360



Treated Rubber

- Treated with Actifresh®
- Interlock liner

Mach Finish Nitrile Grip

- Liquid repellent
- 13-gauge polyester/cotton liner

Premium PVC and Nitrile

- Sandpaper grip
- 18-gauge seamless nylon shell

Products	Sizes	Shell	Coating	Coating Type	Color	Finish	Length	Cuff	EN 388 Levels
212	8(M)-10(XL)	Knit Cotton Interlock	Double Rubber	Full	Blue	Suede	12 in	Pinked	4131X
282	7(S)-11(2XL)	Polyester/Cotton	Double Nitrile	3/4 over Full	Green	Mach Finish	12 in	Pinked	4121X
2360	7(S)-10(XL)	Nylon	Nitrile/PVC	3 Layers	Blue	Sandpaper	12 in	Pinked	4121



8620



12 INCH



8660



12 INCH

DISCONTINUED



8660HV



14 INCH



8690



24 INCH

Treated Orange PVC

- Treated with Actifresh®
- Flexible in temperatures down to -5° F

Premium Treated Chemical Handling

- Triple dipped PVC
- Treated with Actifresh®
- Flexible in temperatures down to -5° F

Premium PVC with Impact

- Double dipped PVC
- PVC foam impact padding

Premium Extra Long PVC

- Shoulder-length sleeve for added protection
- Triple-dipped PVC
- Flexible in temperatures down to -5° F

Products	Sizes	Shell	Coating	Coating Type	Finish	Length	Cuff	EN 388 Levels	EN 374 Level
8620	9(L)-10(XL)	Cotton	Double PVC	Full	Sandpaper	12 in	Pinked	3121	NA
8660	7(S)-11(2XL)	Cotton	Triple PVC	Full	Sandpaper	12 in	Pinked	4131	AJKL
8660HV	8(M)-10(XL)	Nylon	Double PVC	Full	Sandpaper	14 in	Open	4131	JKL
8690	9(L)-10(XL)	Cotton	Triple PVC	Full	Sandpaper	24 in	Elastic End	4131	AJKL

Chemical Handling



Chemical and Vibration Protection

FrogWear® Chemical Handling gloves offer protection from a variety of chemicals.

Neoprene gloves safely resist chemicals including acids, caustics, oils and alcohols.

Chemical handling gloves with anti-vibration palms offer liquid, chemical and vibration protection. They are ergonomically shaped and feature a sandpaper finish to improve grip.



AV805



Anti-Vibration Nitrile Supported

- Anti-vibration padding in palm and thumb
- Ergonomic pre-cured construction
- Sandpaper finish for better grip



515CT



Diamond Pattern Nitrile Supported

- Nitrile is recommended for chemical resistance
- Soft cotton interlock liner
- Raised diamond pattern for wet grip



245CT



Rough Grip Neoprene Supported

- Neoprene resists a wide range of chemicals
- Soft seamless cotton liner
- Rough finish for great wet grip



240CT



Diamond Grip Neoprene Supported

- Neoprene resists a wide range of chemicals
- Soft seamless cotton liner
- Raised diamond pattern for wet grip

Products	Sizes	Shell	Coating	Color	Finish	Length	Cuff	EN 388 Levels	EN ISO 10819
AV805	9L-10(XL)	Cotton	Nitrile	Blue	Sandpaper	12in	Pinked	3122X	Meets
515CT	7(S) - 10(XL)	Cotton	Nitrile	Green	Diamond Pattern	13 in	Straight	NA	NA
245CT	One Size	Cotton	Neoprene	Black	Rough	15 in	Straight	NA	NA
240CT	8(M) - 10(XL)	Cotton	Neoprene	Black	Diamond Pattern	12in	Straight	NA	NA

Chemical Handling

GlobalGlove.com | 763-450-0110



9900 Series

Heavy wall neoprene gloves are multi-dipped in premium-grade neoprene for superior quality and durability. All FrogWear® neoprene gloves are treated with Actifresh®.



9900



9912



9912R



9914R



9918R



9932



9932R

Products	Sizes	Coating	Finish	Length	Cuff	Actifresh Treated
9900	9(L)	Neoprene	Smooth	10 in	Knit Wrist	Yes
9912	9(L)	Neoprene	Smooth	12 in	Gauntlet	Yes
9912R	9(L)	Neoprene	Rough	12 in	Gauntlet	Yes
9914R	One Size	Neoprene	Rough	14 in	Gauntlet	Yes
9918R	One Size	Neoprene	Rough	18 in	Gauntlet	Yes
9932	9(L)	Neoprene	Smooth	32 in	Gauntlet with Grommet	Yes
9932R	9(L)	Neoprene	Rough	32 in	Gauntlet with Grommet	Yes

Chemical Handling

700R Series

These gloves feature a premium PVC coating on a jersey liner.
They are double dipped for added protection.



700R



710R



712R



726R



712C



714R



718R



726R

Products	Sizes	Coating	Finish	Length	Cuff
700R	10(XL)	Double PVC	Rough Sanded	10 in	Knit Wrist
710R	10(XL)	Double PVC	Rough Sanded	10 in	Gauntlet
712R	10(XL)	Double PVC	Rough Sanded	12 in	Gauntlet
712C	10(XL)	Double PVC	PVC Chips	12 in	Gauntlet
714R	10(XL)	Double PVC	Rough Sanded	14 in	Gauntlet
718R	10(XL)	Double PVC	Rough Sanded	18 in	Gauntlet
726R	10(XL)	Double PVC	Rough	26 in	Gauntlet

Chemical Handling

GlobalGlove.com | 763-450-0110



600R Series

These economy chemical handling gloves feature a black PVC coating on a cotton interlock liner.



603R



610R



612R



612S



614R



618R

Product	Sizes	Liner	Coating	Finish	Length	Cuff
603R	9(L)	Cotton	PVC	Rough	10 in	Knit Wrist
610R	9(L)	Cotton	PVC	Rough	10 in	Gauntlet
612R	9(L)	Cotton	PVC	Rough	12in	Gauntlet
612S	9(L)	Cotton	PVC	Smooth	12in	Gauntlet
614R	9(L)	Cotton	PVC	Rough	14 in	Gauntlet
618R	9(L)	Cotton	PVC	Rough	18in	Gauntlet

Chemical Handling

Low Temperature



ice Gripster®



300INT



HV Coated Acrylic Terrycloth

- Soft brushed interior
- 7-gauge shell



380INT



Double-Dipped Liquid Protection

- Fully-dipped first coating
- Palm foam rubber coating
- 7-gauge shell



388INT



Two-Layer Water Repellent

- Soft brushed interior
- Synthetic terrycloth shell



378INT



Cut Resistant + Water Repellent

- Soft brushed interior



348INT



Two-Layer Acrylic Terrycloth

- Soft brushed interior
- Synthetic terrycloth shell



338INT



Cut Resistant + Water Repellent

- Heavy napped interior



300IN



Gray Rubber Dip

- Heavy napped interior
- 10-gauge shell

Products	Sizes	Shell	Shell Color	Shell Layer 1	Shell Layer 2	Coating	Coating Type	Finish	ANSI Cut
300INT	7(S)-10(XL)	Acrylic Terrycloth	HV Yellow	NA	NA	Rubber	Palm	Etched	Level A2
380INT	8(M)-10(XL)	Two Layers	Light Orange	Acrylic Terrycloth	Nylon	Rubber	Palm	Foam	NA
388INT	8(M)-10(XL)	Two Layers	HV Orange	Nylon	Synthetic Terrycloth	Rubber	Palm	Etched	NA
378INT	7(S)-10(XL)	Acrylic	HV Orange	NA	NA	Latex Rubber	Palm	Foam	Level A2
348INT	7(S)-10(XL)	Two Layers	Black	Acrylic Terrycloth	Nylon	PVC	3/4	Foam	NA
338INT	7(S)-10(XL)	Acrylic	HV Orange	NA	NA	Latex Rubber	3/4	Foam	Level A2
300IN	7(S)-10(XL)	Acrylic	White	NAW	NA	Rubber	Palm	Etched	NA

Low Temperature



CIA317INT



CR317INT



SG9001IN



Cut and Impact Resistant

- TPU impact protection
- Latex coated palm
- 2-layer terrycloth insulated liner
- Foam latex palm dipped

Cut and Puncture Resistant

- 2-layer terrycloth insulated liner
- Water repellent

Insulated, Reinforced Leather

- PU & PVC reinforced in grip areas
- Waterproof bladder inside



SG9955INT



SG9966INT



DISCONTINUED

SG9900INT



High-Visibility Oil and Gas

- TPU impact on back
- Reinforced thumb crotch
- Pull tab at wrist
- ID card on cuff

Cut Resistant Oil and Gas

- TPU impact protection
- Reinforced palm and thumb
- Waterproof bladder inside
- Cut resistant palm

Extrication

- Extra-long cuff
- Padded knuckles and palm
- Grip reinforcements
- Sewn with aramid

Products	Sizes	Shell	Palm	Insulation	Insulation Amount	Cuff	ANSI Cut	ANSI Puncture
CIA317INT	8(M)-11(2XL)	Tuffalene UHMWPE	Foam Latex	2-Layer Cotton Terrycloth	NA	Knit Wrist	Level A5	Level 5
CR317INT	8(M)-10(XL)	Tuffalene UHMWPE	Foam Latex	2-Layer Cotton Terrycloth	NA	Knit Wrist	Level A5	Level 5
SG9001IN	8(M)-10(XL)	Spandex	Airflex Synthetic Leather	3M™ Thinsulate™	40 Grams	Hook and Loop	NA	NA
SG9955INT	8(M)-10(XL)	Spandex and Nylon	Cotton Corded	3M™ Thinsulate™	40 Grams	Neoprene	NA	NA
SG9966INT	8(M)-11(2XL)	Spandex	Armortex Reinforced	3M™ Thinsulate™	40 Grams	Neoprene	Level A3	Level 4
SG9900INT	8(M)-11(2XL)	Spandex	Armortex Reinforced	3M™ Thinsulate™	70 Grams	Hook and Loop	NA	NA

Low Temperature

GlobalGlove.com | 763-450-0110



SG7200INT



SG5200INT



SG7700IN



Premium Deerskin Insulated

- Waterproof barrier inside
- Griptex fingertips & palm
- Dual cuff
- Reinforced thumb crotch, palm and fingertips

Premium Split Leather

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff
- Reinforced thumb crotch, palm and fingertips

Premium Deerskin Insulated

- Reinforced knuckles and fingertips

Products	Sizes	Shell	Palm	Insulation	Insulation Amount	Waterproof	Cuff
SG7200INT	8(M)-11(2XL)	Spandex	Deerskin	Cold Keep®	120 Grams	Yes	Dual Cuff
SG5200INT	8(M)-10(XL)	Spandex	Split Cowhide	Cold Keep®	120 Grams	Yes	Safety, Knit Wrist
SG7700IN	8(M)-11(2XL)	Spandex	Deerskin	3M™ Thinsulate™	100 Grams	NA	Elastic with Hook and Loop



SG7300INT



SG7300MIT



HR3200INT



HR3222INT



Premium Deerskin Palm

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

Premium Deerskin Palm

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

Performance Drivers Style

- Reinforced back, thumb and fingertips
- Open cuff with elastic
- Waterproof barrier

Premium HV Insulated

- Waterproof barrier
- Reinforced thumb, back and fingertips
- Waterproof barrier

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Waterproof	Cuff
SG7300INT	8(M)-10(XL)	Polyester	Black	Deerskin	3M™ Thinsulate™	150 Grams	Yes	Gauntlet
SG7300MIT	One Size	Polyester	Black	Deerskin	3M™ Thinsulate™	150 Grams	Yes	Gauntlet
HR3200INT	8(M)-11(2XL)	Spandex	Black	Airflex Synthetic Leather	Cold Keep®	100 Grams	NA	Open
HR3222INT	8(M)-10(XL)	Spandex	HV Orange	Airflex Synthetic Leather	Cold Keep®	100 Grams	NA	Open

Low Temperature

Pigskin Gloves



2900HVDC



2900HV



2900HVKW



Premium Insulated Leather Palm

- 3M™ silver reflective material
- Warm Cold Keep® insulation
- Waterproof bladder inside
- Knit wrist and safety cuff

Premium Insulated Leather Palm

- 3M™ silver reflective material
- Warm Cold Keep® insulation
- Waterproof bladder inside

Premium Insulated Leather Palm

- 3M™ silver reflective material
- Warm Cold Keep® insulation
- Waterproof bladder inside



2900



2900KW



2805



Pigskin Insulated Leather Palm

- Warm Cold Keep® insulation
- 7-oz cotton back
- Waterproof bladder

Pigskin Insulated Leather Palm

- Warm Cold Keep® insulation
- 7-oz cotton back
- Waterproof bladder

Premium Split Leather Palm

- Heavy cotton pile lined
- Canvas back

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Reflective Material	Thumb	Cuff
2900HVDC	7(S)-12(3XL)	Nylon	HV Yellow	Grain Pigskin	Cold Keep®	140 Grams	3M™ Silver Reflective	Wing	Safety, Knit Wrist
2900HV	8(M)-11(2XL)	Canvas	HV orange-yellow	Grain Pigskin	Cold Keep®	140 Grams	3M™ Silver Reflective	Wing	Safety
2900HVKW	7(S)-11(2XL)	Canvas	HV Orange/Yellow	Grain Pigskin	Cold Keep®	140 Grams	3M™ Silver Reflective	Wing	Knit Wrist
2900	7(S)-8(M), 11(2XL)	Canvas	Blue/Yellow Stripes	Grain Pigskin	Cold Keep®	140 Grams	NA	Wing	Safety
2900KW	7(S)-11(2XL)	Canvas	Blue and Yellow	Grain Pigskin	Cold Keep®	140 Grams	NA	Wing	Knit Wrist
2805	8(M)-10(XL)	Canvas	Yellow	Split Cowhide	Heavy Cotton Pile	NA	NA	NA	Safety

Low Temperature

GlobalGlove.com | 763-450-0110

Leather Drivers



3200DTHB



Premium Insulated Black Deerskin

- Warm 3M™ Thinsulate™ insulation
- Premium-grade black deerskin



3200DTH



Premium Insulated Deerskin

- Warm 3M™ Thinsulate™ insulation
- Open cuff with elastic back



3200GINT



3200PTH



Premium-Grain Goatskin

- Warm Cold Keep® insulation
- Cotton binding



3300DSIN



Standard-Grain Leather

- Warm Cold Keep® insulation
- Open cuff with elastic back



3200DSBRL



Premium Suede Deerskin Palm

- Warm Cold Keep® insulation
- Reinforced double palm

Lined Split-Back Deerskin

- Red fleece lining
- Reinforced keystone thumb

Products	Sizes	Shell	Shell Color	Insulation	Insulation Amount	Thumb
3200DTHB	7(S)-10(XL)	Grain Deerskin	Black	3M™ Thinsulate™	40 Grams	Keystone
3200DTH	7(S)-11(2XL)	Grain Deerskin	Gold	3M™ Thinsulate™	100 Grams	Keystone
3200GINT	7(S)-11(2XL)	Grain Goatskin	White	Cold Keep®	120 Grams	Keystone
3200PTH	7(S)	Grain Pigskin	Beige	Cold Keep®	140 Grams	Keystone
3300DSIN	7(S)-10(XL)	Fleece	Gray	Cold Keep®	100 grams	Straight
3200DSBRL	7(S)-10(XL)	Split Deerskin	Gold	Fleece	NA	Keystone

Low Temperature

Freezer Gloves



2800GDC

2800GLP

2800F



Premium Split Goatskin

- Extra long knit wrist



Premium Latex-Coated Split Goatskin

- 3/4 dip waterproof coating



Heavy Split Cowhide

- Elastic wrist back



591F

524

594MIT

624



Premium Split Cowhide

- Double tanned
- Split index finger
- Reinforced palm



Premium Split Cowhide

- Reinforced palm
- Double tanned



Premium Split Cowhide

- Reinforced palm
- Double tanned



Economy Split Cowhide

Products	Sizes	Shell	Shell Color	Insulation	Insulation Amount	Coating	Thumb	Cuff
2800GDC	7(S)-10(XL)	Split Goatskin	Gray	3M™ Thinsulate™	150 Grams	NA	Wing	Extra Long Knit Wrist
2800GLP	8(M)-10(XL)	Split Goatskin	Gray	3M™ Thinsulate™	150 Grams	Latex	Wing	Extra Long Knit Wrist
2800F	9(L)-10(XL)	Split Cowhide	Gray	Cold Keep®	110 Grams	NA	Wing	Extra Long Knit Wrist
591F	8(M)-10(XL)	Split Cowhide	Russet	3M™ Thinsulate™	150 Grams	NA	Wing	Knit Wrist
524	8(M)-10(XL)	Split Cowhide	Russet	3M™ Thinsulate™	150 Grams	NA	Wing	Knit Wrist
594MIT	7(S)-10(XL)	Split Cowhide	Russet	3M™ Thinsulate™	150 Grams	NA	Wing	Knit Wrist
624	9(L)	Split Cowhide	Red	3M™ Thinsulate™	100 Grams	NA	Wing	Knit Wrist

Low Temperature

GlobalGlove.com | 763-450-0110

Extreme Cold Protection



Low Temperature



8450

Extreme Cold Anti-Freeze Nitrile

- Flexible down to -50° F
- Reflective overcasting and logo
- 2 inch velvet cuff interior
- Sandpaper grip



8490MT

Premium PVC

- Highly flexible down to -5°
- Rough sandpaper finish
- Heavy velvet interior



8490



880-SC



880KW

Premium PVC

- Highly flexible down to -5°
- Rough sandpaper finish

Also available hang-tagged: 8490-T

High-Visibility PVC

- Velvet-like foam interior
- Rough sandpaper finish

High-Visibility PVC

- Velvet-like foam interior
- Rough sandpaper finish

Products	Sizes	Shell	Shell Color	Insulation	Coating	Finish	Cuff	EN 388 Levels	EN 511
8450	8(M)-10(XL)	Honeycomb Mesh	Yellow	Cold Keep®	Anti-Freeze Nitrile	Sandpaper	Heavy Velvet Interior	3221X	NA
8490MT	One Size	Brushed Terrycloth	Yellow	Heavy Velvet	Triple PVC	Sandpaper	Open	4121	NA
8490	8(M)-10(XL)	Brushed Terrycloth	Yellow	Terrycloth	Triple PVC	Sandpaper	Open	3221X	NA
8490-T	8(M)-10(XL)	Brushed Terrycloth	Yellow	Terrycloth	Triple PVC	Sandpaper	Open	3221X	NA
880-SC	10(XL)	Cotton	White	Foam	Double PVC	Sandpaper	Safety	3221	NA
880KW	10(XL)	Cotton	Beige	Foam	Double PVC	Sandpaper	Knit Wrist	3221	121

Low Temperature

GlobalGlove.com | 763-450-0110



520INT



519INT



C10BJINT



Heating Pack Flip-Up Mitten

- Palm reinforced with synthetic leather
- Flip-up finger cover
- Space for heating packs

Fleece Flip-Up Mitten

- Palm dots
- Flip-up finger cover
- Insulation and tricot foam

Brown Jersey

Products	Sizes	Shell	Shell Color	Insulation	Insulation Amount	Cuff
520INT	7(S)-10(XL)	Fleece	Black	3M™ Thinsulate™	40 Grams	Knit Wrist
519INT	6(XS)-11(2XL)	Fleece	Black	3M™ Thinsulate™	40 Grams	Knit Wrist
C10BJINT	8(M)-10(XL)	Jersey	Brown	Foam	NA	Knit Wrist



51MIT



52MIT



S70RWMT

S77RW

Split Cowhide Leather Mitten

- Open cuff with elastic

Unlined Split Cowhide Mitten

- Open cuff with elastic

Rag Wool

- May be used as mitten liner

Rag Wool

- May be used as glove liner

Products	Sizes	Shell	Shell Color	Lining	Thumb	Thumb
51MIT	8(M)-10(XL)	Split Cowhide	Gray	Cotton Pile	Straight	Straight
52MIT	9(L)	Split Cowhide	Gray	NA	Straight	Straight
S70RWMT	9(L)	Rag Wool	Army Green	NA	NA	NA
S77RW	7(S)-9(L)	Rag Wool	Army Green	NA	NA	NA

Low Temperature



Anti-Vibration



AV1121



AV805

**Anti-Vibration Nitrile Supported**

- Anti-vibration padding in palm and thumb
- Ergonomic pre-cured construction
- Sandpaper finish for better grip

**Ergonomic Patented Anti-Vibration Gloves**

- 7-gauge nylon shell



AV4900



AV3008



AV2000

**Premium Anti-Vibration**

- Navy blue spandex back
- Anti-shock/vibration palm and thumb
- Extra long padded wrist wrap

Anti-Shock/Vibration Palm Gloves

- Reinforced palm
- Reinforced thumb crotch

Products	Sizes	Shell	Shell Color	Length	Palm	Padded Palm	Cuff	EN 388 Levels	EN ISO 10819
AV1121	8(M)-10(XL)	Nylon	Black	NA	Anti-Vibration Rubber	NA	Knit Wrist	3343	NA
AV805	9(L)-10(XL)	Nitrile	Blue	12 in	NA	Anti-Vibration Rubber	Pinked	3122X	Meets
AV4900	7(S)-10(XL)	Spandex	Navy Blue	NA	Goatskin Leather	Anti-Vibration	Hook and Loop	NA	NA
AV3008	8(M)-10(XL)	Nylon/Spandex	Black	NA	Premium Goatskin	Anti-Shock/Vibration	Hook and Loop	NA	NA
AV2000	7(S)-11(2XL)	Spandex	Black	NA	Goatskin	Anti-Vibration	Hook and Loop	NA	NA

Anti-Vibration

Arc Flash

Gripster®
Tested to 10kV, 10cal/cm²
UL Listed
CR509-10TXL

Protection Against Arc Flash and Flame

Seamless shell is palm dipped with a neoprene bi-polymer coating to protect from liquid saturation and chemicals.

Gripster
Tested to ASTM F2675 Arc
Rating (ATPV) = 8.6 Cal/cm²
  
3543 42322X
CR509-10(XL)

CR509

Flame and cut resistant shell is constructed with 10-gauge Aralene®, an aramid fiber.

Arc Flash



CR3200



CR100MTC

Premium Cowhide MIG/TIG

- Cut resistant liner
- 4-inch split leather cuff
- Sewn with aramid fiber

Tested to ASTM F2675.
Arc Rating (ATPV) = 35 Cal/cm²
Heat Attenuation Factor (HAF) = 94%
NFPA 70E Arc-Flash PPE Category: 3

Cowhide Cut, Heat Resistant

- Enhanced cut resistant liner

Tested to ASTM F2675.
Arc Rating (ATPV) = 35 Cal/cm²
Heat Attenuation Factor (HAF) = 94%
NFPA 70E Arc-Flash PPE Category: 3



Padded Palm + Impact

- TPR impact protection
- Sewn with DuPont™ Kevlar® fiber
- Padding sewn into palm

Tested to ASTM F2675
Arc Rating(ATPV) = 68 Cal/cm²
Heat Attenuation Factor, HAF = 96%



Cut, Impact and Heat Resistant

- Flexible TPU impact protection
- Enhanced Aralene liner
- HV orange back of hand visibility

Tested to ASTM F2675
Arc Rating(ATPV) = 35 Cal/cm²
Heat Attenuation Factor, HAF = 94%



Heat Resistant Coated

- Neoprene bi-polymer dip
- EN 407 Contact Heat Level 2

Tested to ASTM F2675
Arc Rating(ATPV) = 8.6 Cal/cm²
Heat Attenuation Factor, HAF = 69%

Products	Sizes	Shell	Palm	Finish	Thumb	ANSI Cut	NFPA 70E ARC Flash	EN 388 Levels	EN 407 Level
CR3200	6(XS)-11(2XL)	Grain Cowhide	NA	NA	Keystone	Level A4	Level 3	NA	NA
CR100MTC	7(S)-10(XL)	Grain Cowhide	NA	NA	Wing	Level A4	Level 3	NA	NA
CIA5300	9(L)-10(XL)	Goatskin	Padded	NA	Wing	NA	Level 4	NA	NA
CIA3200	7(S)-11(2XL)	Grain Cowhide	NA	NA	Keystone	Level A4	Level 3	XXXXXP	NA
CR509	7(S)	Aralene	NA	Flat	NA	Level A4	Level 2	3543	42322X

Arc Flash

GlobalGlove.com | 763-450-0110

Protection From Impact, Abrasion and Cut Hazards

Impact protection provides flexible protection to back of hands and fingers, helping to prevent injuries from falling objects.

Reinforced thumb crotch extends the life of gloves by supporting common wear areas.



CIA417V

Padded palm protects hands from vibration damage and impact injuries.

Hook and loop closure customizes fit for optimal safety and protection

Oil, Gas, Construction



Oil, Gas, Construction



Vice Gripster cut, impact, and abrasion gloves are significantly more comfortable when compared to oil, gas and construction gloves.



CIA995MFV



HV Cut and Impact Resistant

- High-visibility yellow/green shell
- High-visibility orange palm
- Reinforced thumb crotch



CIA609MFV



Cut and Impact Resistant

- Reinforced thumb crotch
- Vibration dampening padded palm
- TPU impact protection



CIA609MF



Cut and Impact Protection

- Reinforced thumb crotch
- Vibration dampening padded palm
- TPU impact protection



CIA998MF



High-Visibility Impact Protection

- High-visibility yellow shell
- High-visibility orange palm



CIA520MF



HV Cut and Impact Protection

- High-visibility orange shell
- Reinforced thumb crotch
- Padded palm



CIA501MF



High-Visibility with Impact Protection

- High-visibility yellow/green shell

Products	Sizes	Shell	Coating	Finish	Impact Protection	Cuff	ANSI Cut	ANSI Puncture	EN 388 Levels
CIA995MFV	7(S)-11(2XL)	Tuffalene UHMWPE	Nitrile	Mach Finish	TPU	Knit Wrist with Hook and Loop	Level A5	NA	4X43E
CIA609MFV	8(M)-11(2XL)	Aralene	Nitrile	Mach Finish	TPU	Knit Wrist with Hook and Loop	Level A5	Level 2	4X31E
CIA609MF	7(S)-11(2XL)	Aralene	Nitrile	Mach Finish	TPU	Knit Wrist	Level A5	Level 2	4X31E
CIA998MF	7(S)-10(XL)	Tuffalene UHMWPE	Nitrile	Mach Finish	Silicone	Knit Wrist	Level A4	Level 4	4X43DP
CIA520MF	8(M)-11(2XL)	Nylon	Double Nitrile	Mach Finish	TPU	Knit Wrist	NA	NA	4131X
CIA501MF	8(M)-11(2XL)	Nylon	Double Nitrile	Mach Finish	TPU	Knit Wrist	Level A1	NA	4131X

Oil, Gas, Construction



CIA417V

**Cut and Impact Resistant**

- TPU impact protection
- Reinforced thumb crotch
- Mach Finish nitrile palm dipped



CIA617V

**Cut and Impact Resistant**

- TPU impact protection
- Mach Finish nitrile palm dipped
- Reinforced thumb crotch



CIA677

**High Cut Resistance**

- TPU impact protection
- High-performance palm coating



CIA600KV

**Cut, Puncture, Impact Resistant**

- TPU impact protection
- Vibration dampening palm
- Etched rubber palm



CIA609

**Cut and Impact Protection**

- Reinforced thumb crotch
- Vibration dampening padded palm
- TPU impact protection
- Foam nitrile palm dipped



CIA639

**Cut, Puncture Resistant**

- Reinforced thumb crotch
- Vibration dampening padded palm
- Foam nitrile 3/4 dipped palm protects from liquids

Products	Sizes	Shell	Weight	Coating	Type	Finish	ANSI Cut	ANSI Puncture	EN 388	EN 407	ANSI/ISEA 138
CIA417V	8(M)-11(2XL)	Tuffalene UHMWPE	13-Gauge	Nitrile	Palm	Mach Finish	Level A2	Level 3	4242X	NA	NA
CIA617V	7(S)-11(2XL)	Tuffalene UHMWPE	13-Gauge	Nitrile	Palm	Mach Finish	Level A5	Level 3	4X43D	NA	NA
CIA677	7(S)-11(2XL)	Aralene	13-Gauge	Nitrile/PU	Palm	Xtreme Foam Technology	Level A7	NA	4X42FP	NA	NA
CIA600KV	7(S)-10(XL)	Aralene	10-Gauge	Rubber	Palm	Etched	Level A6	NA	4543	X3XXXX	Level 1
CIA609	8(M), 11(2XL)	Aralene	13-Gauge	Nitrile	Palm	Foam	Level A4	Level 2	4543	NA	NA
CIA639	9(L)-10(XL)	Aralene	13-Gauge	Nitrile	3/4	Foam	Level A4	Level 2	NA	NA	NA

Oil, Gas, Construction

GlobalGlove.com | 763-450-0110



SG9900INT



SG9944



SG9977



Extraction

- Extra-long cuff
- Padded knuckles and palm
- Grip reinforcements
- Sewn with aramid fiber
- Waterproof bladder inside

Impact Protection

- TPU impact protection
- Reinforced thumb crotch
- Pull tab on wrist
- ID card on cuff

Synthetic Leather

- TPU impact protection
- Reinforced Armortex® leather palm
- Pull tab on wrist



SG9955



SG9955INT



SG9966



DISCONTINUED

SG9966INT



High-Contrast Gloves

- TPU impact protection
- Aralene reinforced thumb crotch
- Pull tab at wrist
- ID card on cuff

High-Visibility Oil and Gas

- TPU impact on back
- Reinforced thumb crotch
- Pull tab at wrist
- ID card on cuff

HV Cut Resistant

- TPU impact protection
- Reinforced with Armortex®
- Pull tab on wrist
- Cut resistant palm

Cut Resistant Oil and Gas

- TPU impact protection
- Reinforced palm and thumb
- Waterproof bladder inside
- Cut resistant palm

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Cuff	ANSI Cut	ANSI Puncture
SG9900INT	8(M)-11(2XL)	Spandex	Gray	Armortex Reinforced	3M™ Thinsulate™	70 Grams	Hook and Loop	NA	NA
SG9944	8(M)-11(2XL)	Spandex and Nylon	HV Yellow/Green	Cotton Corded	NA	NA	Neoprene	NA	NA
SG9977	7(S)-12(3XL)	Spandex and Nylon	HV Yellow/Green	Armortex Reinforced	NA	NA	Neoprene	NA	NA
SG9955	8(M)-11(2XL)	Spandex and Nylon	HV Yellow/Green	Cotton Corded	NA	NA	Neoprene	NA	NA
SG9955INT	8(M)-10(XL)	Spandex and Nylon	HV Yellow/Green	Cotton Corded	3M™ Thinsulate™	40 Grams	Neoprene	NA	NA
SG9966	8(M)-12(3XL)	Spandex and Nylon	HV Yellow/Green	Armortex Reinforced	NA	NA	Neoprene	Level A3	Level 4
SG9966INT	8(M)-11(2XL)	Spandex and Nylon	HV Yellow/Green	Armortex Reinforced	3M™ Thinsulate™	40 Grams	Neoprene	Level A3	Level 4

Oil, Gas, Construction



C18GRCPB

**Poly/Cotton with Impact**

- 18-oz corded poly/cotton
- TPU impact protection
- Straight thumb design



C180CPB

**Poly/Cotton with Impact**

- 18-oz corded poly/cotton
- TPU impact protection
- Wing thumb design



8660HV

**Premium PVC with Impact**

- Double dipped PVC
- PVC foam impact padding



C18GRC



C180C



8660

**Cotton Corded**

- 18-oz corded cotton
- Straight thumb

Cotton Corded

- 18-oz corded cotton
- Straight thumb

Premium Treated Chemical Handling

- Triple dipped PVC
- Treated with Actifresh®
- Flexible in temperatures down to -5° F

Products	Sizes	Shell	Shell Color	Finish	Impact Protection	Cuff	EN 388 Levels	EN 374 Level
C18GRCPB	One Size	Polyester/Cotton	Green	Corded	TPU	Knit Wrist	NA	NA
C180CPB	One Size	Polyester/Cotton	Orange	Corded	TPU	Knit Wrist	NA	NA
8660HV	8(M)-10(XL)	Nylon	White	Sandpaper	NA	Open	4131	AJKL
C18GRC	One Size	Cotton	Green	Corded	NA	Knit Wrist	NA	NA
C180C	7(S), 9(L), 10(XL)	Cotton	Orange	Corded	NA	Knit Wrist	NA	NA
8660	7(S)-11(2XL)	Cotton	White	Sandpaper	NA	Pinked	4131	AJKL

Oil, Gas, Construction

GlobalGlove.com | 763-450-0110

Mechanics Styles with Grip for Every Job



Mechanics



Mechanics/Sport Styles



HR3200

HR3200INT

HR3222INT



Performance Glove

- Reinforced back, thumb and fingertips
- Open cuff with elastic

Performance Drivers Style

- Reinforced back, thumb and fingertips
- Open cuff with elastic
- Waterproof barrier

Premium HV Insulated

- Reinforced thumb, back and fingertips
- Open cuff with elastic
- Waterproof barrier

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Waterproof	Cuff
HR3200	8(M)-11(2XL)	Spandex	Black	Airflex Synthetic Leather	NA	NA	NA	Open
HR3200INT	8(M)-11(2XL)	Spandex	Black	Airflex Synthetic Leather	Cold Keep®	100 Grams	Yes	Open
HR3222INT	8(M)-10(XL)	Spandex	HV Orange	Airflex Synthetic Leather	Cold Keep®	100 Grams	Yes	Open



HR9000



HR9000VIS



HR8500



DISCONTINUED

HR5008



Synthetic Leather Mechanics

- G-pattern palm padding

HV Performance

- 3M™ Scotchlite™ reflective
- Griptex fingertips
- G-pattern padded palm

HV Zebra-Strip Impact

- Impact padding on palm
- Zebra-strip knuckle pads
- Wrap-around fingers

HV + Neon Mechanic

- Sewn-in wrist & index magnet
- Silicone dotted palm
- Side of hand & knuckle padding

Products	Sizes	Shell	Shell Color	Palm	Padded Palm	Cuff
HR9000	7(S)-11(2XL)	Spandex	Black	Airflex Synthetic Leather	G-Pattern	Hook and Loop
HR9000VIS	8(M)-11(2XL)	Spandex	HV Orange and Black	Airflex Synthetic Leather	G-Pattern	Hook and Loop
HR8500	8(M)-11(2XL)	Spandex	Black	Synthetic Leather and Impact	Yes	Hook and Loop
HR5008	8(M)-11(2XL)	Spandex	HV Orange	Silicone Reinforced and Dots	NA	Hook and Loop

Mechanics



HR1008



Ultra-Soft Calfskin

- Double palm
- Extra protection on fingers



HR3008



Abrasion Resistant

- Reinforced palm, thumb
- Split/Rough side out palm



HR4008



Ultra-Soft Goatskin

- Double goatskin palm
- Leather knuckle strap
- Leather wraps around fingertips



SG7722



Motocross-Style

- Reinforced knuckles
- Padded palm



SG7001



Deerskin Mechanic

- Knuckles, fingertip protection



SG7000



Deerskin Fingerless

- Reinforced knuckles

Products	Sizes	Shell	Shell Color	Palm	Palm Color	Cuff	EN 407 Contact Heat
HR1008	7(S)-11(2XL)	Spandex	Navy Blue	Soft Calfskin	Gold	Hook and Loop	NA
HR3008	7(S)-11(2XL)	Spandex	Black	Grain Goatskin	White/Gray	Elastic Hook and Loop	X1XXXX
HR4008	7(S)-11(2XL)	Spandex	Gray	Double Goatskin	White	Open	NA
SG7722	7(S)-10(XL)	Spandex	Black	Synthetic Leather	Black	Hook and Loop	NA
SG7001	8(M)-11(2XL)	Spandex	Black	Grain Deerskin	Black	Hook and Loop	NA
SG7000	7(S)-10(XL)	Spandex	Black	Deerskin	Black	Hook and Loop	NA

GripSter Sport



SG2008SC



Precision Mechanics Style

- Reinforced Armortex® thumb crotch
- TPU impact protection
- Safety cuff + hook and loop



SG2008



Precision Mechanics Style

- TPU impact protection
- Leather wraps around fingertips
- Deerskin-like feel



SG2008T



Precision Mechanics

- Padded double palm
- Impact protection on fingers
- Abrasion resistant double palm
- Reinforced thumb crotch



SG2000



Precision Mechanics Style

- Fingerless
- Double palm, padding
- Sewn with DuPont™ Kevlar® fiber



SG5308



Premium Climbing Gloves

- Excellent for belaying and rappelling
- Neoprene stretch cuff
- Double leather palm, fingers
- Carabiner grommet on cuff



SG8600



High-Visibility Drivers

- Reflective striping on back
- Silicone fingers and palm pattern

Products	Sizes	Shell	Shell Color	Palm	Palm Color	Finish	Impact Protection	Cuff
SG2008SC	8(M)-11(2XL)	Spandex	Black	Goatskin Leather	Gold	NA	TPU	Safety + Hook and Loop
SG2008	8(M)-11(2XL)	Spandex	Black	Goatskin Leather	Gold	NA	TPU	Hook and Loop
SG2008T	8(M)-11(2XL)	Spandex	Black	Goatskin Leather	Gold and Black	Rough	TPU	Hook and Loop
SG2000	7(S)-12(3XL)	Spandex	Black	Goatskin Leather	Gold	NA	TPU	Hook and Loop
SG5308	7(S)-11(2XL)	Spandex	Tan	Goatskin Leather	Gold	NA	NA	Hook and Loop
SG8600	7(S)-10(XL)	Spandex	Black and Yellow/Green	Silicone	HV Yellow/Green	HV Honeycomb	NA	Open

Mechanics



SG7200INT



SG5200INT



SG7700IN



Premium Deerskin Insulated

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff
- Reinforced thumb crotch, palm and fingertips

Premium Split Leather

- Waterproof barrier inside
- Griptex fingertips and palm
- Dual cuff
- Reinforced thumb crotch, palm and fingertips

Premium Deerskin Insulated

- Reinforced knuckles and fingertips

Products	Sizes	Shell	Palm	Insulation	Insulation Amount	Waterproof	Cuff
SG7200INT	8(M-11(2XL)	Spandex	Deerskin	Cold Keep	120 Grams	Yes	Dual Cuff
SG5200INT	8(M-10(XL)	Spandex	Split Cowhide	Cold Keep	120 Grams	Yes	Safety, Knit Wrist
SG7700IN	8(M-11(2XL)	Spandex	Deerskin	3M™ Thinsulate™	100 Grams	NA	Elastic with Hook and Loop



SG7300INT



SG7300MIT



HR3200INT



HR3222INT



Premium Deerskin Palm

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

Premium Deerskin Palm

- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

Performance Drivers Style

- Reinforced back, thumb and fingertips
- Open cuff with elastic
- Waterproof barrier

Premium HV Insulated

- Reinforced thumb, back and fingertips
- Open cuff with elastic
- Waterproof barrier

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Waterproof	Cuff
SG7300INT	8(M-10(XL)	Polyester	Black	Deerskin	3M™ Thinsulate™	150 Grams	Yes	Gauntlet
SG7300MIT	One Size	Polyester	Black	Deerskin	3M™ Thinsulate™	150 Grams	Yes	Gauntlet
HR3200INT	8(M-11(2XL)	Spandex	Black	Airflex Synthetic Leather	Cold Keep	100 Grams	Yes	Open
HR3222INT	8(M-10(XL)	Spandex	HV Orange	Airflex Synthetic Leather	Cold Keep	100 Grams	Yes	Open

Gripster Sport



SG9001IN



Insulated, Reinforced Synthetic Leather

- PU and PVC reinforced in grip areas
- Waterproof bladder inside



SG9001



PVC Reinforced

- PU and PVC reinforced in grip areas
- G-patterned palm



SG9001NF



SG9000



SG9003



SG7755

Grip Reinforced Mechanics

- Tacky PVC grip in wear grip areas
- 2 open fingers + thumb

Synthetic Leather Mechanics

- Flexible spandex shell

Grip Enhanced Palm

- Silicone grip pattern palm

Synthetic Leather Mechanics

- Snakeskin grip pattern palm
- Reinforced thumb crotch

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Dotted	Cuff
SG9001IN	8(M)-10(XL)	Spandex	Black	Airflex Synthetic Leather	3M™ Thinsulate™	40 Grams	NA	Hook and Loop
SG9001	8(M)-11(2XL)	Spandex	Blue	Airflex Synthetic Leather	NA	NA	NA	Hook and Loop
SG9001NF	8(M)-11(2XL)	Spandex	Blue	Airflex Synthetic Leather	NA	NA	NA	Hook and Loop
SG9000	8(M)-11(2XL)	Spandex	Red and Black	Airflex Synthetic Leather	NA	NA	NA	Hook and Loop
SG9003	7(S)-12(3XL)	Spandex	Gray and Black	Airflex Synthetic Leather	NA	NA	Silicone	Hook and Loop
SG7755	8(M)-10(XL)	Spandex and Neoprene	Black and Gray	Airflex Synthetic Leather	NA	NA	NA	Open

Mechanics



Leather

Deerskin Drivers



3200D



3200DTH

Premium Golden-Grain Deerskin

- Open cuff with elastic back

Premium Insulated Deerskin

- Warm 3M™ Thinsulate™ insulation
- Open cuff with elastic back



3200DST



3200DTHB



3200DSBRL



3300DSIN



Unlined Grain Deerskin

- Dries soft and flexible
- Open cuff with elastic back

Premium Insulated Black Deerskin

- Warm 3M™ Thinsulate™ insulation
- Premium-grade black deerskin

Lined Split-Back Deerskin

- Red fleece lining
- Reinforced keystone thumb

Premium Suede Deerskin Palm

- Warm Cold Keep® insulation
- Reinforced double palm

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Thumb	Cuff
3200DTH	7(S)-11(2XL)	Grain Deerskin	Gold	NA	3M™ Thinsulate™	100 Grams	Keystone	Open
3200D	6(XS)-10(XL)	Deerskin	Gold	NA	NA	NA	Keystone	Open
3200DST	7(S)-11(2XL)	Grain Deerskin	Gold	NA	NA	Open	Straight	Open
3200DTHB	7(S)-10(XL)	Grain Deerskin	Black	NA	3M™ Thinsulate™	40 Grams	Keystone	Open
3200DSBRL	7(S)-10(XL)	Split Deerskin	Gold	Grain Deerskin	NA	NA	Keystone	Open
3300DSIN	7(S)-10(XL)	Fleece	Gray	Suede Deerskin	Cold Keep®	100 grams	Straight	Open

Leather

Pigskin Leather Drivers



3200S



3200SRF



3200PP

Split Cowhide Leather

- Open cuff with elastic back

Split Cowhide Leather

- Red fleece-lined interior
- Cotton binding
- Open cuff with elastic back

Economy Cowhide Patched Palm

- Split leather back
- Multi-piece palm
- Open cuff with elastic back

Products	Sizes	Shell	Palm	Lining	Lining Color	Thumb
3200S	7(S)-11(2XL)	Split Cowhide	NA	NA	NA	Keystone
3200SRF	7(S)-10(XL)	Split Cowhide	NA	Fleece	Red	Keystone
3200PP	7(S)-10(XL)	Split Cowhide	Grain Cowhide	NA	NA	Keystone



3100P



3200P



3200PTH



3150P

Premium-Grain Leather

- Reinforced keystone thumb
- Open cuff with elastic back

Standard-Grain Leather

- Open cuff with elastic back

Standard-Grain Leather

- Warm Cold Keep® insulation
- Open cuff with elastic back

Split Back With Double Palm

- Reinforced thumb, index
- Split pigskin leather double palm
- Open cuff with elastic back

Products	Sizes	Shell	Palm	Insulation	Insulation Amount	Thumb
3100P	7(S)-11(2XL)	Grain Pigskin	NA	NA	NA	Keystone
3200P	7(S)-11(2XL)	Grain Pigskin	NA	NA	NA	Keystone
3200PTH	7(S)	Grain Pigskin	NA	Cold Keep®	140 Grams	Keystone
3150P	7(S)-10(XL)	Grain Pigskin	Double, Split Leather	NA	NA	Wing

Leather

GlobalGlove.com | 763-450-0110

Cowhide Leather Drivers



CR3200



Cowhide Cut, Heat Resistant

- Enhanced cut resistant liner

Tested to ASTM F2675
Arc Rating(ATPV) = 35 Cal/cm²
Heat Attenuation Factor, HAF = 94%



3200



CIA3200



Premium-Grain Cowhide

- Sewn with aramid fiber

Also available with retail hang-tag: 3200-T

Cut, Impact and Heat Resistant

- Flexible TPU impact protection
- Enhanced Aralene liner
- HV orange back of hand visibility

Tested to ASTM F2675
Arc Rating(ATPV) = 35 Cal/cm²
Heat Attenuation Factor, HAF = 94%



3200B



3200BS



3200PS

Standard-Grade Grain Leather

- Open cuff with elastic back

Cowhide Grain Palm

- Split cowhide back/grain cowhide palm

Premium-Grain Cowhide

- Pull strap on wrist

Products	Sizes	Shell	Color	Liner	Thumb	ANSI Cut	NFPA 70E ARC Flash
CR3200	6(XS)-11(2XL)	Grain Cowhide	Beige	Aralene	Keystone	Level A4	Level 3
3200	6(XS)-12(3XL)	Grain Cowhide	Beige	NA	Keystone	NA	NA
3200-T	7(S)-10(XL)	Grain Cowhide	Beige	NA	Keystone	NA	NA
CIA3200	7(S)-11(2XL)	Grain Cowhide	Gold	Aralene	Keystone	Level A4	Level 3
3200B	7(S)-12(3XL)	Grain Cowhide	Beige	NA	Keystone	NA	NA
3200BS	7(S)-11(2XL)	Split Cowhide	Beige/Gold	NA	Keystone	NA	NA
3200PS	7(S)-10(XL)	Grain Cowhide	Beige	NA	Keystone	NA	NA

Leather

Pigskin Leather Drivers



3200S



3200SRF



3200PP

Split Cowhide Leather

- Open cuff with elastic back
- Red fleece-lined interior
- Cotton binding
- Open cuff with elastic back

Economy Cowhide Patched Palm

- Split leather back
- Multi-piece palm
- Open cuff with elastic back

Products	Sizes	Shell	Palm	Lining	Lining Color	Thumb
3200S	7(S)-11(2XL)	Split Cowhide	NA	NA	NA	Keystone
3200SRF	7(S)-10(XL)	Split Cowhide	NA	Fleece	Red	Keystone
3200PP	7(S)-10(XL)	Split Cowhide	Grain Cowhide	NA	NA	Keystone



3100P



3200P



3200PTH



3150P

Premium-Grain Leather

- Reinforced keystone thumb
- Open cuff with elastic back

Standard-Grain Leather

- Open cuff with elastic back

Standard-Grain Leather

- Warm Cold Keep® insulation
- Open cuff with elastic back

Split Back With Double Palm

- Reinforced thumb, index
- Split pigskin leather double palm
- Open cuff with elastic back

Products	Sizes	Shell	Palm	Insulation	Insulation Amount	Thumb
3100P	7(S)-11(2XL)	Grain Pigskin	NA	NA	NA	Keystone
3200P	7(S)-11(2XL)	Grain Pigskin	NA	NA	NA	Keystone
3200PTH	7(S)-10(XL)	Grain Pigskin	NA	Cold Keep®	140 Grams	Keystone
3150P	7(S)-10(XL)	Grain Pigskin	Double, Split Leather	NA	NA	Wing

Leather

Welders



CR100MTC



CR1200

Premium-Grain Cowhide

- Heat resistant aramid fiber
- Reinforced thumb crotch
- Welting in vulnerable seams
- Reinforced wing thumb
- Cut resistant liner



100MTC



1200



1200KB

Premium-Grain MIG/TIG

- 4-inch split leather cuff
- Heat resistant aramid fiber
- Wing thumb

Premium-Split Leather

- Heat resistant aramid fiber
- Reinforced thumb crotch
- Welting in vulnerable seams

1200 available in left-hand only dozens: 1200-LH

Premium-Split Leather

- Heat resistant aramid fiber
- Reinforced thumb crotch, wing thumb
- Welting in vulnerable seams

1200KB available in left-hand only dozens: 1200KB-LH

Products	Sizes	Shell	Shell Color	Liner	Stitching	Thumb	Cuff	ANSI Cut	ANSI ARC Flash
CR100MTC	7(S)-10(XL)	Grain Cowhide	Beige	Aralene	Aramid	Wing	Split Leather	Level A4	Level 3
CR1200	7(S), 9(L)	Split Cowhide	Russet	Aralene	Aramid	Wing	Open	Level A4	NA
100MTC	7(S)-10(XL)	Grain Cowhide	Beige	NA	Aramid	Wing	4 in Split Leather	NA	NA
1200	9(L)	Split Cowhide	Russet and Black	NA	Aramid	Wing	Open	NA	NA
1200-LH	Left Hand Only 9(L)	Split Cowhide	Russet and Black	NA	Aramid	Wing	Open	NA	NA
1200KB	9(L)	Split Cowhide	Blue	NA	Aramid	Wing	Open	NA	NA
1200KB-LH	Left Hand Only 9(L)	Split Cowhide	Blue	NA	Aramid	Wing	Open	NA	NA

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Leather

Welders and High-Visibility



100MTG



1200E



1200GE

Premium-Grain MIG/TIG

- 4-inch split leather cuff
- Heat resistant aramid fiber

Economy Split Leather

- Welting in vulnerable seams
- Wing thumb

Economy Split Leather

- Welting in vulnerable seams
- Wing thumb



3200HV



3200WH



2300HVDP



Premium-Grain Palm

- Reflective yellow knuckle band
- Split-back cowhide shell

Premium-Grade Cowhide

- Warning on back of hand

Economy Split Cowhide Palm

- Safety cuff protects wrists

Products	Sizes	Shell	Shell Color	Thumb	Cuff
100MTG	8(M)-10(XL)	Goatskin Leather	Beige	Wing	4 in Split Leather
1200E	9(L)	Shoulder Split Cowhide	Red	Wing	Open
1200GE	9(L)	Shoulder Split Cowhide	Gray	Wing	Open
3200HV	7(S)-11(2XL)	Split Cowhide	Gray	Keystone	Open
3200WH	7(S)-11(2XL)	Grain Cowhide	Beige	Keystone	Open
2300HVDP	9(L)	Cotton	HV Orange and Yellow	NA	Rubberized Safety

Leather

GlobalGlove.com | 763-450-0110

High-Visibility



2180HV



Premium HV Split Leather Palm

- Breathable nylon back of hand
- Yellow reflective knuckle stripe
- Leather extends over fingertips



3100PHV



Premium HV Leather Palm

- Reflective prismatic knuckle band
- High-visibility mesh back of hand



1100PHV



Premium HV Leather Palm

- Reflective prismatic knuckle band
- Gunn cut pattern construction

Products	Sizes	Shell	Shell Color	Palm	Reflective Material	Thumb	Cuff
2180HV	One Size	HV Nylon	HV Orange	Split Cowhide	Prismatic Reflective	Wing	Rubberized Safety
3100PHV	8(M)-10(XL)	HV Mesh	HV Yellow/Green	Grain Pigskin	Prismatic Reflective	Keystone	Open
4100PHV	9(L)-10(XL)	Grain Pigskin	HV Yellow/Green	Grain Pigskin	Prismatic Reflective	Wing	Washable PE Safety



2900HVDC



Premium Insulated Leather Palm

- Warm Cold Keep® insulation
- Waterproof bladder inside
- 3M™ silver reflective material
- Knit wrist and safety cuff



2900HV



Premium Insulated Leather Palm

- Warm Cold Keep® insulation
- 3M™ silver reflective material
- Waterproof bladder



2900HVKW



Premium Insulated Leather Palm

- Warm Cold Keep® insulation
- 3M™ silver reflective material
- Waterproof bladder

Products	Sizes	Shell	Shell Color	Palm	Insulation	Insulation Amount	Thumb	Cuff
2900HVDC	7(S)-12(3XL)	Nylon	HV Orange-Yellow	Grain Pigskin	Cold Keep®	140 Grams	Wing	Safety, Knit Wrist
2900HV	8(M)-11(2XL)	Nylon	HV Orange-Yellow	Grain Pigskin	Cold Keep®	140 Grams	Wing	Safety
2900HVKW	7(S)-11(2XL)	Nylon	HV Orange-Yellow	Grain Pigskin	Cold Keep®	140 Grams	Wing	Knit Wrist

Leather

Tough Protection for Tough Jobs



Leather

GlobalGlove.com | 763-450-0110

93

Cowhide Leather Palm



2000DP



2000



Top-of-the-Line Premium Double Tanned, Leather Palm

- Double split cowhide leather palm
- 1.9mm side select split leather
- Sewn with aramid fiber

- 9oz canvas back
- EN 388 Levels: 4234
- EN 407 Contact Heat Level 3

- 1.9mm side select split leather
- Sewn with aramid fiber
- 9oz canvas back
- EN 388 Levels: 4134
- EN 407 Contact Heat Level 1



1900



2190



2190DP



2120



Premium-Grain Leather Palm

- 7-oz cotton back

Side Select Split Leather Palm

- 8oz canvas back
- Double-layered duck cuff

Premium Split Leather Double Palm

- 8oz canvas back
- Double-layered duck cuff

Premium Split Leather Palm

- 8oz cotton back

Products	Sizes	Shell	Shell Color	Palm	Stitching	Thumb	Cuff
2000DP	One Size	Canvas	Beige	Split Cowhide	Aramid	Wing	Rubberized Safety
2000	One Size	Canvas	Beige	Split Cowhide	Aramid	Wing	Rubberized Safety
1900	7(S)-10(XL)	Cotton	Blue and Yellow	Grain Cowhide	NA	Wing	Rubberized Safety
2190	7(S)-11(2XL)	Canvas	Yellow	Split Cowhide	NA	Wing	Washable Duck Safety
2190DP	9(L)	Canvas	Yellow	Split Cowhide	NA	Wing	Washable Duck Safety
2120	9(L)-10(XL)	Cotton	Blue, Yellow and Black	Split Cowhide	NA	Wing	Rubberized Safety

Leather



CR2100



2100



Premium Split Cowhide

- Sewn with aramid fiber
- Washable PE safety cuff
- 9-oz canvas back
- Cut resistant liner

Premium Split Palm

- 1.8 mm cowhide leather
- Sewn with aramid fiber
- 9-oz canvas back
- Washable duck cuff



2150KFGC



2100GC



2100FGC



2100GCDP



Cut Resistant Split Leather

- Full leather hand welder
- Sewn with aramid fiber
- 4 inch gauntlet cuff

Premium Split Leather Palm

- 9-oz canvas back
- Sewn with aramid fiber
- Washable duck cuff

Premium Split Leather

- Full leather hand
- Sewn with aramid fiber

Premium Split Double Palm

- 9-oz canvas back
- Sewn with DuPont™ Kevlar® fiber
- Washable duck gauntlet cuff

Products	Sizes	Shell	Palm	Liner	Cuff	ANSI Cut	EN 407
CR2100	8(M)-10(XL)	Canvas	Split Cowhide	Aralene	Washable PE Safety	Level A4	NA
2100	7(S)-11(2XL)	Canvas	Split Cowhide	NA	Washable Safety	NA	NA
2150KFGC	8(M)-11(2XL)	Split Cowhide	NA	Aralene	Rubberized Gauntlet	Level A4	XXXXX
2100GC	8(M)-10(XL)	Canvas	Split Cowhide	NA	Washable Gauntlet	NA	NA
2100FGC	9(L)	Split Cowhide	NA	NA	Washable Gauntlet	NA	NA
2100GCDP	10(XL)	Canvas	Split Cowhide	NA	Washable Gauntlet	NA	NA

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Leather

Leather Palm



Leather Split Palm

- 8-oz canvas back
- Double-layered duck cuff

2250

2250DP



Double Split Leather Palm

- 8-oz canvas back
- Double-layered duck cuff



2250FC



2250GCDP



2250ISDP



Full Split Leather Hand

- Full leather hand
- Double-layered duck cuff

Double Split Leather Palm

- 8-oz canvas back
- Double-layered duck gauntlet cuff

Split Leather Inner-Sewn Double Palm

- 8-oz canvas back
- Double-layered duck cuff

Products	Sizes	Shell	Palm	Thumb	Cuff
2250	7(S)-10(XL)	Canvas	Split Cowhide	Wing	Washable Duck Safety
2250DP	9(L)-10(XL)	Canvas	Split Cowhide	Wing	Washable Duck Safety
2250FC	9(L), 11(2XL)	Split Cowhide	NA	Wing	Washable Duck Safety
2250GCDP	10(XL)	Canvas	Split Cowhide	Wing	Washable Duck Gauntlet
2250ISDP	9(L)	Canvas	Split Cowhide	Wing	Washable Duck Safety

Leather



Economy Split Leather Palm

- 7-oz cotton back

Also available hang-tagged: 2300-LT

Economy Lined Split Leather Palm

- 4.5 inch gauntlet cuff
- Heavy inner lining

Economy Double Split Leather Palm

- Wing thumb



2300KW



2300WC



2350PP

Economy Split Leather Palm

- 7-oz canvas back
- Clute cut style

Economy Split Leather Palm

- 7-oz canvas back
- Reinforced leather knuckle strap

Economy Split Leather Palm

- 7-oz canvas back
- Patched split leather palm

Products	Sizes	Shell	Shell Color	Palm	Thumb	Cuff
2300	7(S)-11(2XL)	Cotton	Blue/Red/Black Stripes	Split Cowhide	Wing	Rubberized Safety
2300-LT	9(L)	Cotton	Blue/Red/Black Stripes	Split Cowhide	Wing	Rubberized Safety
2300GC	7(S), 9(L)-11(2XL)	Cotton	Blue/Red/Black Stripes	Split Cowhide	Wing	Rubberized Gauntlet
2300DP	7(S), 9(L), 10(XL)	Cotton	Blue/Red/Black Stripes	Split Cowhide	Wing	Rubberized Safety
2300KW	7(S), 9(L)	Canvas	Beige	Split Cowhide	Wing	Knit Wrist
2300WC	9(L)-10(XL)	Canvas	Beige	Split Cowhide	Wing	Washable Duck
2350PP	9(L)	Cotton	Blue/Red/Black Stripes	Split Cowhide	Wing	Starched Safety



Cotton, String Knits

Terrycloth



TG1350



T1350



T36

Extra Heavyweight

- Long gauntlet cuff
- 100% cotton shell

Gray Heavyweight

- Loop-out terrycloth
- Protects against intermittent heat contact

Ambidextrous Heavyweight

- Loop-out terrycloth
- Protects against intermittent heat contact



T1250D2



T800HC



S687

Dotted Terrycloth

- Dotted on both sides
- Loop-in terrycloth

Non-Slip PVC Pattern

- Heavyweight brushed acrylic
- Honeycomb pattern on both sides

Herringbone PVC Patterned

- 16 oz brushed acrylic shell
- Generous sizing with long knit wrist

Products	Sizes	Shell	Weight	Cuff	Pattern	Dotted
TG1350	Men's, Women's	Terrycloth	1350 Grams	Knit Wrist	NA	NA
T1350	Men's, Women's	Terrycloth	1350 Grams	Knit Wrist	NA	NA
T36	Men's	Terrycloth	36 oz	6 in Gauntlet	NA	NA
T1250D2	8(M)-9(L)	Terrycloth	1200 Grams	Knit Wrist	NA	Two Sides
T800HC	8(M)-9(L)	Acrylic Terrycloth	7-Gauge	Knit Wrist	PVC Honeycomb	NA
S687	8(M)-10(XL)	Acrylic Terrycloth	7-Gauge	Knit Wrist	Herringbone	NA

Jersey and Terrycloth

GlobalGlove.com | 763-450-0110

Cotton Hot Mill and Jersey



C24GC



C26HV



C26WBT



C30BT



4195NB2



C18BT



C70BJ-2PK



C70BJ



C80BJC



C80RJ



C90BJ



C10BJINT



C10BJR

Product	Sizes	Shell	Style	Weight	Lining	Thumb	Cuff
C24GC	Men's	Hot Mill Cotton	Clute Cut	24 oz	NA	Straight	Rubberized Gauntlet
C26HV	Men's	2-Ply Hot Mill	Clute Cut	26 oz	NA	Wing	Band Top
C26WBT	Men's	2-Ply Hot Mill	Clute Cut	26 oz	NA	Wing	Band Top
C30BT	Men's	3-Ply Hot Mill	Clute Cut	30 oz	NA	Wing	Band Top
4195NB2	7(S), 9(L)	Two-Layer Cotton	Hot Mill	10-Gauge	NA	Wing	Open Knit Wrist
C18BT	Men's	Economy Hot Mill	Clute Cut	18 oz	NA	Wing	Band Top
C70BJ-2PK	Men's	Polyester/Cotton	Clute Cut	7 oz	NA	Straight	Knit Wrist
C70BJ	Women's	Polyester/Cotton	Clute Cut	7 oz	NA	Straight	Knit Wrist
C80BJC	One Size	Cotton	Clute Cut	8 oz	NA	Straight	Knit Wrist
C80RJ	Men's, Women's	Polyester/Cotton	Reversible	8 oz	NA	Wing	Knit Wrist
C90BJ	Mens, Women's, Jumbo	Polyester/Cotton	Clute Cut	9 oz	NA	Straight	Knit Wrist
C10BJINT	8(M)-10(XL)	Jersey	Clute Cut	10 oz	Foam	Straight	Knit Wrist
C10BJR	9(L)	Polyester/Cotton	Clute Cut	10 oz	Yes	Straight	Open

Jersey and Terrycloth

Cotton and Canvas Gloves



Product	Sizes	Shell	Weight	Style	Thumb	Cuff	Pattern
C120D1	One Size	Cotton Canvas	12oz	Clute Cut	Wing	Knit Wrist	PVC Dotted
C80D1	One Size	Cotton Canvas	8oz	NA	Wing	Knit Wrist	PVC Dotted
C110	One Size	Cotton Canvas	10 oz	Clute Cut	Wing	Knit Wrist	NA
C120	One Size	Cotton Canvas	12oz	Clute Cut	Wing	Knit Wrist	NA
C80	Men's, Women's	Cotton Canvas	8oz	NA	Wing	Knit Wrist	NA
C16Y	One Size	2Ply Cotton Chore	14.5 oz	Clute Cut	Straight	Knit Wrist	NA
C16Y-T	One Size	2Ply Cotton Chore	14.5 oz	Clute Cut	Straight	Knit Wrist	NA
C18C	One Size	Cotton	18oz	NA	Straight	Knit Wrist	NA
C18DP	One Size	Cotton	18oz	NA	Straight	Knit Wrist	NA
C18GRC	One Size	Cotton	18oz	NA	Straight	Knit Wrist	NA
C18GRCPB	One Size	Polyester/Cotton	18oz	NA	Straight	Knit Wrist	NA
C18OC	7(S), 9(L), 10(XL)	Cotton	18oz	NA	Straight	Knit Wrist	NA
C18OPCB	One Size	Polyester/Cotton	18oz	NA	Wing	Knit Wrist	NA
C18PCR	One Size	Polyester/Cotton	18oz	Clute Cut	Straight	Knit Wrist	NA

Cotton and Canvas

GlobalGlove.com | 763-450-0110

101

Glove Liners, Nylon, Lisle and String Knits



S13T



S13WT



N960



N900



L100



L114



S120C



S98G



S92K



S90BW

Product	Sizes	Shell	Shell Color	Weight	Length
S13T	Men's	Hollow Core Thermal	Navy Blue	13-Gauge	Wrist
S13WT	Men's	Hollow Core Thermal	White	13-Gauge	Wrist
N960	7(S), 9(L)	Knit Nylon	White	Heavyweight	Wrist
N900	7(S)-10(XL)	Low Lint Nylon	White	13-Gauge	Wrist
L100	Men's, Women's	Lisle Cotton	Bleached White	Lightweight	Wrist
L114	Men's	Lisle Cotton	Bleached White	Lightweight	14 in
S120C	Men's	Cotton	Natural	1200 Grams	11.5 in
S98G	Men's, Women's	Polyester/Cotton	Gray	1000 Grams	Wrist
S92K	7(S), 9(L)	Polyester/Cotton	Gray and Black	1000 Grams	Wrist
S90BW	Men's, Women's	Polyester/Cotton	Bleached White	900 Grams	Wrist

String Knits

String Knits



S400



S13



S13RB



S55



S51



S52NFD1



S55D2



S55G



S55D1

S65BW



S60



S60SKD



S65D2BW



S65D2BW



S65D2

S65D2-2PK
2pack

S66BB

Product	Sizes	Shell	Shell Color	Weight	Dotted	Pattern
IP3DB	7(S), 9(L)	Acrylic	Black	10-Gauge	Silicone	NA
S13	Men's, Women's	Polyester/Cotton	Natural	13-Gauge	No	NA
S13RB	7(S)-10(XL)	Cotton and Spandex	Blue and White	13-Gauge	No	Striped
S400	Men's, Women's	Polyester/Cotton	Natural	10-Gauge	No	NA
S51	Men's	Polyester/Cotton	Gray and Black	500 Grams	No	Striped
S52NFD1	Men's	Polyester/Cotton	Natural	520 Grams	PVC	NA
S55	Men's, Women's	Polyester/Cotton	Natural	550 Grams	No	NA
S55G	Men's, Women's, 6(XS)	Polyester/Cotton	Gray	550 Grams	No	NA
S55D1	Men's, Women's	Polyester/Cotton	Natural	550 Grams	PVC	NA
S55D2	Men's, Women's	Polyester/Cotton	Natural	550 Grams	Two Sides PVC	NA
S60	7(S)-9(L)	Polyester/Cotton	Natural	600 Grams	No	NA
S60SKD	Men's	Polyester/Cotton	Black	600 Grams	PVC	Skeleton
S65BW	Men's, Women's	Polyester/Cotton	Bleached White	650 Grams	No	NA
S65D2BW	Men's, Women's	Polyester/Cotton	Bleached White	650 Grams	Two Sides PVC	NA
S65D2	Men's, Women's	Polyester/Cotton	Gray	650 Grams	Two Sides PVC	NA
S65D2-2PK	Men's	Polyester/Cotton	Gray	650 Grams	Two Sides PVC	NA
S66BB	Men's	Polyester/Cotton	Natural	650 Grams	PVC	Brick

String Knits

GlobalGlove.com | 763-450-0110

103

Vend-Pack Gloves

- Individual pairs packaged
- Barcode on each pair
- Most come 6 dz/box
- 12 Dz/box - PUG-17 & PUG-88

Sold and Packaged by the Dozen



Available In The Following Styles



Cut, Puncture Resistant
CR609-VP



Electrostatic Compliant
PUG-17-VP



PU Coated Cut Resistant
PUG-88-VP



13-Gauge HDPE
PUG-111-VP



Mach Finish Nitrile Dipped
500G-VP



Flexible Rubber Palm
300-VP



Products	Sizes	Shell	Shell Color	Weight	Coating	Finish	ANSI Cut	EN 388 Levels
CR609-VP	7(S)-11(2XL)	Aralene	Yellow/Black	13-Gauge	Nitrile	Foam	Level A4	4X21D
PUG-17-VP	6(XS)-11(2XL)	Nylon	Black	13-Gauge	Polyurethane	Solid	NA	4131
PUG-88-VP	7(S)-11(2XL)	Aramid	Yellow	13-Gauge	Polyurethane	Solid	Level A2	4343
PUG-111-VP	6(XS)-11(2XL)	HPPE	Salt and Pepper	13-Gauge	Polyurethane	Solid	Level A2	4342
500G-VP	7(S)-11(2XL)	Nylon	Gray	13-Gauge	Nitrile	Mach Finish	NA	3131X
300-VP	7(S)-10(XL)	Polyester/Cotton	Gray	10-Gauge	Rubber	Etched	NA	2242



Z1



Z2



ZB1



ZB2

Dual-End Utility Clip

- High-visibility orange
- Individually packaged
- Sold in packs of ten

Dual-End Utility Clip

- High-visibility yellow/green
- Individually packaged
- Sold in packs of ten

Utility Clip with Belt Attachment

- High-visibility orange
- Individually packaged
- Sold in packs of ten

Utility Clip with Belt Attachment

- High-visibility yellow/green
- Individually packaged
- Sold in packs of ten

Vend Pack, Utility Clips

A close-up photograph of a person's arm and hand working on a red motorcycle. The person is wearing a blue corduroy jacket over a yellow ribbed sleeve. The background is dark and out of focus.

Sleeves



TuffKut Cut Resistant Sleeves

TuffKut fiber sleeves feature a revolutionary duracore spinning process and silicon reinforced fiber with exceptionally high cut resistance and impressive dexterity. Component materials meet FDA regulations for food contact.



TKHV14SL



TAK14SLT



TAK16SL



TAK18SLT



TKHV18SLT



TAK18ADJSR



TKHV19W



TAK24SLT



TAK24SLGT



Product	Material	Length	Adjustable	Thumb Slot	ANSI Cut
TKHV14SL	Heavyweight TuffKut	14 in	No	No	Level A6
TAK14SLT	Heavyweight TuffKut	14 in	No	Yes	Level A6
TAK16SL	Heavyweight TuffKut	16 in	No	No	Level A6
TAK18SLT	Heavyweight TuffKut	18in	No	Yes	Level A6
TKHV18SLT	Heavyweight TuffKut	18in	No	Yes	Level A6
TAK18ADJSR	Heavyweight TuffKut	18in	Yes	No	Level A6
TKHV19W	Heavyweight TuffKut	19in	Yes	No	Level A4
TAK24SLT	Heavyweight TuffKut	24 in	No	Yes	Level A6
TAK24SLGT	Heavyweight TuffKut	24 in	No	Yes	Level A6

Sleeves

Cut Resistant Sleeves

These sleeves are made in the USA with DuPont™ Kevlar® fiber.



K10SL



K10SLT



K14SL



K14SLT



K16SL



K18SL



K18SLT



K18FSLT



K24SLT

Product	Material	Length	Thumb Slot	Flared Forearm	ANSI Cut
K10SL	Aramid	10 in	No	No	Level A3
K10SLT	Aramid	10 in	Yes	No	Level A3
K14SL	Aramid	14 in	No	No	Level A3
K14SLT	Aramid	14 in	Yes	No	Level A3
K16SL	Aramid	16 in	No	No	Level A3
K18SL	Aramid	18in	No	No	Level A3
K18SLT	Aramid	18in	Yes	No	Level A3
K18FSLT	Aramid	18in	Yes	Yes	Level A3
K24SLT	Aramid	24 in	Yes	No	Level A3

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Sleeves

GlobalGlove.com | 763-450-0110

107



Made with
Tuffalene®
CUT RESISTANT FIBRE



Terrycloth and Denim Sleeves



Product	Material	Length	Cuff	ANSI Cut
CR336G-S21C	Tuffalene UHMWPE	21 in	Knit Wrist	Level A6
CR336-S10	Tuffalene UHMWPE	10 in	Knit Wrist	Level A6
S21TC	Terrycloth	21 in	Knit Wrist	NA
A18D	Denim	18in	NA	NA

Sleeves

Retail Hang-Tagged Gloves

These gloves come packaged for sale in retail stores.



Nitrile Dipped Gardening Gloves

- 3 pairs per color per dozen
- Comfortable nylon shell
- Sizes 7(S) - 9(L)



Latex Dipped Gardening Gloves

- 3 pairs per color per 9-pack
- Comfortable polyester shell
- Size 9(L)

General Purpose

300NB.....	36
300PT.....	36
300RV.....	37
303RV.....	37
440.....	37
500G-T.....	32
500MF-T.....	32
500NFT-T.....	32
508NFT-TS.....	32
510MFV.....	33
S96-LT.....	33

Disposables

305.....	43
305PF.....	43
505.....	43
505PF.....	43
505PF-MD.....	42
605PF.....	42
675PF.....	41
695PF.....	41
705BPF.....	43
705PF.....	43
705PFE.....	43
705PFE-MD.....	42
775PF.....	41
800F.....	41
805PF.....	42
905PF.....	41
908BPF.....	41
965BPF.....	41
1005PF.....	40, 41

Chemical Handling

Low Temperature

2900.....	61
2900HV.....	61
2900HVDC.....	61
2900HKW.....	61
2900KW.....	61
300IN.....	58
300INT.....	58
3200DTH.....	62
3200DTHB.....	62
3200GINT.....	62
3300DSIN.....	62
338INT.....	58
348INT.....	58
378INT.....	58
380INT.....	58
388INT.....	58
8490-T.....	51
880KW.....	65
880-SC.....	65
SG5200INT.....	60
SG7200INT.....	60
SG7300INT.....	60
SG7300MT.....	60
SG7700IN.....	60
SG900INT.....	59

Anti-Vibration

Oil Gas Construction

CIA20MF.....	74
SG900INT.....	59

Mechanics/Sport Styles

HR1008.....	81
HR3008.....	81
HR3200.....	80
HR4008.....	81
HR5008.....	80
HR9000.....	78, 80
HR9000VIS.....	80
SG2000.....	82
SG2008.....	82
SG2008C.....	82
SG2008T.....	82
SG5200INT.....	83
SG5308.....	82
SG7000.....	81
SG7001.....	81
SG7200INT.....	83
SG7300INT.....	83
SG7300MT.....	83
SG7700IN.....	83
SG7722.....	81
SG8600.....	82
SG9000.....	84
SG9001.....	84
SG9001NF.....	84
SG9003.....	84

Leather

2900-LT.....	97
2900.....	61
2900HV.....	92
2900HVD.....	92
2900HKW.....	92
3100PHV.....	92
3200-T.....	88
3200DST.....	86
3200DTH.....	86
3200DTHB.....	86
3200GINT.....	87
3300DSIN.....	86
1100PHV.....	92
HR1008.....	81
HR4008.....	87
SG2008T.....	82
SG5200INT.....	83
SG5308.....	82
SG7000.....	81
SG7001.....	81
SG7200INT.....	83
SG7300INT.....	83
SG7300MT.....	83
SG7700IN.....	83

Jersey and Terrycloth

C10BJR.....	101
C70BJ-2PK.....	101

Cotton and Canvas

C16Y-T.....	100
-------------	-----

String Knits

IP3DB.....	103
S65D2-2PK.....	103

Retail Index

Safety Wear Icons

 ANSI Class Level	 Breathable Mesh	 Standard Hood
 Self-Wicking Material	 Solid Polyester	 Detachable Hood
 Convertible	 Oxford Material	 Concealed Hood
 Removable Liner	 Zipper Closure	 Number of Pockets
 Reversible	 Snaps Closure	 Tablet Pocket
 Break-Away	 Hook & Loop Closure	 Adjustable Sizing
 Flame Retardant		



Hearing Protection Icons

 Disposable Earplugs	 Reusable Earplugs	 NRR Rating
 Corded Earplugs	 Uncorded Earplugs	 Adjustable Fit



Safety And Hearing Icons



Protective Clothing



FrogWear® HV

Enhanced Night Visibility with Illuminated Safety Vests

These FrogWear® Safety Vests are equipped with LED lights or photoluminescent trim to keep you safe and visible, even in the dark.

LED lights feature a variety of light pattern options and battery or USB charging options and photoluminescent trim glows in the dark after exposure to light. These vests ensure workers won't be missed in low light conditions.



LED Mesh Surveyors Vest

- Front LED lights - white
- Back LED lights - red
- LED lights have 3 light patterns
- 60 hr continuous battery life
- Powered by 3 AA batteries or portable USB charger*
- Mic holders and D-ring



GLO-315LED



Mesh LED Vest

- Prismatic 3M™ Scotchlite™ Reflective
- 3 LED light patterns
- 24 hr continuous battery life
- Powered by 2 AA batteries*
- Contrasting trim



GLO-12LED



LED Mesh Surveyors Vest

- Front LED lights - white
- Back LED lights - red
- LED lights have 3 light patterns
- 60 hr continuous battery life
- Powered by 3 AA batteries or portable USB charger*
- Mic holders and D-ring



GLO-15LED



Photoluminescent Mesh Vest

- Photoluminescent trim glows in the dark
- Silver reflective
- Contrasting trim
- Mic holders and D-ring



GLO-077



Product	Sizes	Fabric	Color	Contrasting Color	Reflective Material	Closure	ANSI Class
GLO-315LED	M-5XL	Mesh Polyester	HV Yellow/Green	HV Orange	Silver	Zipper	Class 3
GLO-12LED	M-3XL, 6XL	Mesh Polyester	HV Yellow/Green	HV Orange	3M™ Scotchlite™ Reflective	Zipper	Class 3
GLO-15LED	M-5XL	Mesh Polyester	HV Yellow/Green	HV Orange	Silver	Zipper	Class 2
GLO-077	M-7XL	Mesh Polyester	HV Yellow/Green	HV Orange	Silver	Zipper	Class 2

*Batteries and/or portable USB charger not included

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110

Premium Vest Styles

Going the extra mile in comfort, convenience and class.

Mesh Surveyors Vest

- 3M™ reflective
- Reflective piping on edges
- Mic holders and D-ring
- ID Card holder
- Contrasting trim
- Neck grommets



GLO-067



Mesh Surveyors Vest

- 3M™ reflective
- Black mesh sides
- Mic tabs and D-ring
- Contrasting trim
- Neck grommets



GLO-079



Premium Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Neoprene padded neck
- Reinforced closure
- Full length back pocket
- Mic holders and D-ring
- 4 grommets
- Contrasting trim
- Black bottom on front



GLO-099



Reversible Insulated Vest

- Black 190T polyester interior
- 80 grams of insulation
- Black bottom in front
- 150D oxford PU-coated shell



GLO-V1



Product	Sizes	Color	Contrasting Color	Reflective Material	Closure	ANSI Class
GLO-067	M-5XL	HV Yellow/Green	Orange	3M™ Reflective Material	Zipper	Class 2
GLO-079	XS-5XL	HV Yellow/Green	Orange	3M™ Reflective Material	Zipper	Class 2
GLO-099	M-3XL, 6XL	HV Yellow/Green	Orange	3M™ Reflective Material	Zipper	Class 2
GLO-V1	M-5XL	HV Yellow/Green, Black	NA	Silver	Zipper	Class 2

FrogWear® High-Visibility

Surveyor Style Vests

Plenty of pockets and features - this style isn't just for surveyors.



GLO-058

Mesh Surveyors Vest

- 3M™ reflective
- Mic holders & D-ring
- Neck grommets
- Full length back pocket
- Available in orange and yellow/green



GLO-059



GLO-0037

Solid and Mesh Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Mic holders & D-ring
- Contrasting trim
- Phone closure
- Available in orange and yellow/green



GLO-0047



GLO-0045

Mesh Surveyors Vest

- Mic holders
- Contrasting trim
- Available in orange and yellow/green



GLO-0035



GLO-003

Solid and Mesh Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Contrasting trim
- Available in orange and yellow/green



GLO-004

Product	Sizes	Color	Contrasting Color	Reflective Material	Closure	ANSI Class
GLO-059	M-4XL	HV Yellow/Green	NA	3M™ Reflective Material	Heavy Duty Snaps	Class 2
GLO-058	M-3XL	HV Orange	NA	3M™ Reflective Material	Heavy Duty Snaps	Class 2
GLO-0047	M-4XL	HV Orange	Yellow/Green	3M™ Reflective Material	Zipper	Class 2
GLO-0037	S-5XL	HV Yellow/Green	Orange	3M™ Reflective Material	Zipper	Class 2
GLO-0035	XS-6XL	HV Yellow/Green	Orange	Silver	Zipper	Class 2
GLO-0045	S-5XL	HV Orange	Yellow/Green	Silver	Zipper	Class 2
GLO-004	M-5XL	HV Orange	Yellow/Green	3M™ Reflective Material	Zipper	Class 2
GLO-003	S-5XL	HV Yellow/Green	Orange	3M™ Reflective Material	Zipper	Class 2

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



ANSI Class 3 Vests

Vests with 360° high-visibility. You can't miss them.



GLO-0145

Mesh Vest

- Silver reflective
- Mic holders
- Contrasting trim
- Available in yellow/green and orange



GLO-0135



GLO-127

Solid & Mesh Vest

- 3M™ reflective
- Mic holders & D-ring
- Contrasting trim



GLO-147



GLO-011

Mesh Vest

- Silver reflective
- Mic holders



Mesh Vest

- Elastic side straps



GLO-11V



Product	Sizes	Fabric	Color	Contrasting Color	Reflective Material	Closure	ANSI Class
GLO-0135	S-5XL	Mesh Polyester	HV Yellow/Green	HV Orange	Silver	Zipper	Class 3
GLO-0145	S-5XL	Mesh Polyester	HV Orange	HV Yellow/Green	Silver	Zipper	Class 3
GLO-147	M-5XL	Mesh and Partial Solid Polyester	HV Orange	HV Yellow/Green	3M™ Reflective Material	Zipper	Class 3
GLO-127	S-6XL	Mesh and Partial Solid Polyester	HV Yellow/Green	HV Orange	3M™ Reflective Material	Zipper	Class 3
GLO-011	M-5XL	Mesh Polyester	HV Yellow/Green	NA	Silver	Zipper	Class 3
GLO-11V	S-M, L-XL, 2XL-3XL, 4XL-5XL	Mesh Polyester	HV Yellow/Green	NA	3M™ Reflective Material	Hook and Loop	Class 3

FrogWear® High-Visibility

ANSI Class 2 Vests

Breakaway, adjustable and more. The right vest for the right job is here.



GLO-049

Mesh Vest

- 3M™ reflective
- Mic holders
- Solid black bottom front
- X-back design
- Available in yellow/green and orange



GLO-019



GLO-002ADJ

Mesh Adjustable Vest

- 3M™ Scotchlite™ reflective
- Adjustable sides
- Mic holders & D-ring
- Contrasting trim
- Available in yellow/green and orange



GLO-005ADJ



Mesh Breakaway Vest

- 3M™ reflective
- 5-point breakaway
- Contrasting trim



GLO-002BA



Solid Vest

- 3M™ reflective
- Mic holders
- Contrasting trim



GLO-0039



Product	Sizes	Fabric	Color	Contrasting Color	Reflective Material	Closure	Pockets
GLO-019	M-3XL, 6XL	Mesh Polyester	HV Yellow/Green	NA	3M™ Reflective Material	Zipper	6
GLO-049	M-3XL, 6XL	Mesh Polyester	HV Orange	NA	3M™ Reflective Material	Zipper	6
GLO-005ADJ	M-XL, 2XL-4XL	Mesh Polyester	HV Orange	HV Yellow/Green	3M™ Scotchlite™	Zipper	6
GLO-002ADJ	M-XL, 2XL-4XL	Mesh Polyester	HV Yellow/Green	Orange	3M™ Scotchlite™	Zipper	6
GLO-002BA	S-M, L-XL, 2XL-3XL	Mesh Polyester	HV Yellow/Green	Orange	3M™ Reflective Material	Hook and Loop	2 Inside
GLO-0039	M, XL-5XL	Solid Polyester	HV Yellow/Green	Orange	3M™ Reflective Material	Zipper	7

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



Economy Class 2 Vests

Proving that you don't have to break the bank to get the job done right.



GLO-006

Mesh Vest

- Available in yellow/green and orange



GLO-001



GLO-001VE

Mesh Vest

- Silver reflective
- Available in yellow/green and orange



GLO-006V



GLO-0036



Mesh Vest with Black Bottom Front

- Silver reflective
- Mic holders
- Contrasting trim



GLO-002



Mesh Vest with Contrasting Trim

- Silver reflective
- Contrasting HV orange trim



GLO-002V



Mesh Vest with Contrasting Trim

- Silver reflective
- Contrasting HV orange trim

Product	Sizes	Fabric	Color	Contrasting Color	Reflective Material	Closure	ANSI Class
GLO-001	XS-5XL	Mesh Polyester	HV Yellow/Green	NA	Silver	Zipper	Class 2
GLO-006	M-3XL	Mesh Polyester	HV Orange	NA	Silver	Zipper	Class 2
GLO-006V	M-5XL	Mesh Polyester	HV Orange	NA	Silver	Hook and Loop	Class 2
GLO-001VE	M-6XL	Mesh Polyester	HV Yellow/Green	NA	Silver	Hook and Loop	Class 2
GLO-0036	S-5XL	Mesh Polyester	HV Yellow/Green	Orange	Silver	Zipper	Class 2
GLO-002	XS-6XL	Mesh Polyester	HV Yellow/Green	Orange	Silver	Zipper	Class 2
GLO-002V	S-M, L-XL, 2XL-3XL, 4XL-5XL	Mesh Polyester	HV Yellow/Green	Orange	Silver	Hook and Loop	Class 2

FrogWear® High-Visibility

5-Point Breakaway Mesh Vest

GLO-011BA

Mesh Vest

GLO-001V

5-Point Breakaway Mesh Vest

GLO-01BA

GLO-10-O-1IN

GLO-10-G-1IN

GLO-10-G-2IN

GLO-10-2IN

GLO-10-O
Economy Mesh Vest

- 1 inch reflective
- Elastic side straps


Economy Mesh Vest

- 2 Inch Reflective
- Elastic side straps


Economy Mesh Vest


Product	Sizes	Fabric	Reflective Material	Closure	Pockets	ANSI Class
GLO-011BA	M-5XL	Mesh Polyester	Silver Reflective	Hook and Loop	2	Class 3
GLO-001V	S-M, L-XL, 2XL-3XL, 4XL-5XL, 6XL-7XL	Mesh Polyester	Silver Reflective	Hook and Loop	2 Inside	Class 2
GLO-01BA	M-5XL, 7XL	Mesh	Silver Reflective	Hook and Loop	2	Class 2
GLO-10-O-1IN	L-XL	Mesh	1 in Yellow Reflective	Hook and Loop	NA	NA
GLO-10-G-1IN	One Size	Mesh	1 in Silver Plastic Reflective	Hook and Loop	NA	NA
GLO-10-G-2IN	One Size	Mesh	2 in Silver Plastic Reflective	Hook and Loop	NA	NA
GLO-10-2IN	One Size	Mesh	2 in Yellow Reflective	Hook and Loop	NA	NA
GLO-10-O	One Size	Mesh	NA	Hook and Loop	NA	NA

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



FrogWear® HV Shirts

Leave the bulky vests and jackets behind. Get seen in performance wear that is impossible to be missed.



Non-Compliant Short Sleeved Shirt

- Self-wicking athletic fabric
- UPF 15+ protection
- Machine washable



GLO-200



Short Sleeved Shirt

- Segmented silver reflective
- Mesh sides & upper back
- Self-wicking athletic fabric
- UPF 15+ protection
- Machine washable



GLO-205



Polo/Golf Shirt

- Semi-segmented silver reflective
- Left breast pocket
- Antimicrobial treated
- Machine washable



GLO-209



Long Sleeved Shirt

- Mesh sides & upper back
- Black mesh under arm
- Self-wicking athletic fabric
- UPF 15+ protection
- Machine washable



GLO-225LS

Product	Sizes	Fabric	Color	Mesh Areas	Reflective Material	Pockets	ANSI Class
GLO-200	S-3XL, 6XL	Microfiber	Yellow/Green	Sides/Top of back	NA	NA	NA
GLO-205	S-5XL	Microfiber	Yellow/Green	Sides/Top of Back	Segmented Silver	NA	Class 3
GLO-209	M5XL	Polyester/Polypropylene	Yellow/Green	NA	Segmented Silver	1 Front/Outside	Class 3
GLO-225LS	M5XL	Microfiber	Yellow/Green	Sides and Under Arms	Segmented Silver	NA	Class 3

FrogWear® High-Visibility



GLO-005B

Short Sleeved Shirt

- Silver reflective
- Left breast pocket
- Birdseye mesh
- Black bottom front
- Machine washable
- Available in yellow/green and orange



GLO-007B



GLO-017

Short Sleeved Shirt

- Silver reflective
- Left breast pocket
- Birdseye mesh
- Odor resistant
- Machine washable



GLO-018

Short Sleeved Shirt

- Silver reflective
- Left breast pocket
- Machine washable



GLO-008LS

Long Sleeved Shirt

- 3M™ Scotchlite™
- Left breast pocket
- Machine washable



Product	Sizes	Fabric	Color	Reflective Material	Black Bottom	Pockets	ANSI Class
GLO-005B	S-5XL	Polyester	HV Orange	Silver	Front Only	1 Front/Outside	Class 2
GLO-005B-T	XLT-2XLT	Polyester	HV Orange	Silver	Front Only	1 Front/Outside	Class 2
GLO-007B	S-5XL	Polyester	HV Yellow/Green	Silver	Front Only	1 Front/Outside	Class 2
GLO-007B-T	XLT-2XLT	Polyester	HV Yellow/Green	Silver	Front Only	1 Front/Outside	Class 2
GLO-017	S-5XL	Polyester	HV Yellow/Green	Silver	None	1 Front/Outside	Class 3
GLO-018	M-5XL	Polyester	HV Yellow/Green	Silver	None	1 Front/Outside	Class 3
GLO-008LS	M-4XL	Polyester	HV Yellow/Green	3M™ Scotchlite™ Reflective	None	1 Front/Outside	Class 3

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110

121



8-in-1 Bomber

This 8-in-1 bomber jacket features a high-visibility fleece shell and removable sleeves. The different combinations include two ANSI Class 2 vest styles and a hood that attaches to any combination.

8-In-1 Winter Bomber

- 3M™ reflective
- Name tag holder
- Removable sleeves
- Removable inner fleece liner
- Hood snaps (inner and outer)
- Smooth inner sleeves on
- 300D oxford - PU coated




GLO-B2



3-In-1 Winter Parka

- 300D Oxford - PU coated
- 3M™ reflective
- Fleece interior
- Uninsulated sleeves
- Removable zip-out vest



GLO-P2

3-in-1 Parka

This 3-in-1 parka features a removable ANSI Class 2 inner vest. When reversed, the vest is black fleece with a HV yellow/green collar.



Product	Sizes	Fabric	Liner	Reflective Material	Hood	Closure	Pockets	ANSI Class
GLO-B2	M-5XL	300D Oxford Polyester	Heavy Fleece	3M™ Reflective Material	Detachable	Zipper and Buttons	8	Class 3
GLO-B2-T	XL-2XL	300D Oxford Polyester	Heavy Fleece	3M™ Reflective Material	Detachable	Zipper and Buttons	8	Class 3
GLO-P2	M-3XL	300D Oxford Polyester	Heavy Fleece	3M™ Reflective Material	Concealed	Zipper and Snaps	10	Class 3

FrogWear® High-Visibility

FrogWear® HV Outerwear



GLO-EB4

Winter Bomber

- 300D oxford - PU coated
- Quilted interior
- Black bottom
- Name tag holder
- Available in yellow/green and orange



GLO-EB1

Winter Parka

- 300D oxford - PU coated
- Heavy fleece lining
- Black bottom, cuffs
- Name tag holder



GLO-P1



Softshell Jacket



GLO-SJ1



Premium Windbreaker



GLO-WB1



Hooded Sweatshirt



GLO-HS2



Product	Sizes	Fabric	Liner	Black Areas	Reflective Material	Closure	Pockets	ANSI Class
GLO-EB1	M-5XL	300D Oxford Polyester	Quilted Polyester	Front Bottom, Cuffs	3M™ Reflective Material	Zipper and Snaps	8	Class 3
GLO-EB4	M-5XL	300D Oxford Polyester	Quilted Polyester	Front Bottom, Cuffs	3M™ Reflective Material	Zipper and Snaps	8	Class 3
GLO-P1	M-5XL	300D Oxford Polyester	Polyester Fleece	Front Bottom, Cuffs	3M™ Reflective Material	Zipper and Snaps	9	Class 3
GLO-SJ1	M-5XL	Polyester	Fleece	Front Bottom, Collar, Cuffs	Silver	Zipper	6	Class 3
GLO-WB1	M-3XL, 6XL	Polyester	Light Fleece	Bottom, Sleeve Ends, Shoulder	3M™ Reflective Material	Zipper	3	Class 3
GLO-HS2	M-5XL	Polyester	NA	Front Bottom, Sleeve Ends	Silver	Zipper	2	Class 3

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110

123



FrogWear® HV Pants and Gaiters

Keeping you cool or warm and dry - your Class E needs are met here.

Mesh Pants

- 3M™ reflective
- Solid waterproof leg cuff
- Elastic waist & leg cuffs
- Zippered leg cuff
- Cargo pocket
- Side pocket access
- Adjustable sides
- Contrasting trim
- Reflective piping



GLO-99P



GLO-88P



GLO-G2



GLO-G1

Mesh Leg Gaiters

- 3M™ reflective
- Black bottom
- Zipper closure
- Hook and loop cuffs
- Contrasting trim



Mesh Pants

- 3M™ reflective
- Adjustable waist
- Adjustable ankle cuffs
- Rear pocket
- Easy side pocket access
- Contrasting trim



GLO-2P



GLO-4P

Waterproof Gaiters

- 3M™ reflective
- Black bottom
- Storm flap on sides
- Zipper closure
- Elastic top cuff
- Contrasting trim



GLO-G3



Product	Sizes	Fabric	Contrasting Color	Reflective Material	Closure	ANSI Class
GLO-88P	S-M, L-XL, 2XL-3XL, 4XL-5XL, 6XL-7XL	Mesh Polyester	HV Orange	3M™ Reflective Material	Elastic, Snaps, Fly	Class E
GLO-99P	S-M, L-XL, 2XL-3XL, 4XL-5XL	Mesh Polyester	HV Yellow/Green	3M™ Reflective Material	Elastic, Snaps, Fly	Class E
GLO-2P	S-M, L-XL, 2XL-3XL, 4XL-5XL	Mesh Polyester	HV Orange	3M™ Reflective Material	Drawstring	Class E
GLO-4P	S-M, L-XL, 2XL-3XL	Mesh Polyester	HV Yellow/Green	3M™ Reflective Material	Drawstring	Class E
GLO-G2	One Size	Lightweight Mesh	HV Yellow/Green	3M™ Reflective Material	Zipper and Buttons	Class E
GLO-G1	One Size	Lightweight Mesh	HV Orange	3M™ Reflective Material	Zipper and Buttons	Class E
GLO-G3	One Size	Waterproof Polyester	HV Orange	3M™ Reflective Material	Zipper and Buttons	Class E

FrogWear® High-Visibility

FrogWear® HV Hats and Shades

Whether it's style, shade or warmth you need, we've got you covered.



GLO-H3



GLO-H4



GLO-H1



GLO-R1

Stocking Cap

- Reflective stripe

Stocking Cap

GLO-H4

Baseball Cap

- Reflective stripes
- Mesh back
- Adjustable hook & loop back closure

Baseball Cap

- Reflective stripes
- Mesh back
- Adjustable hook & loop back closure



GLO-H5



GLO-H2



GLO-NS1



GLO-NS2

Ranger Hat

- Wide brim
- Solid back sun shade
- Drawstring hat
- Mesh sides

Ranger Hat

- Reflective stripe
- Vented mesh panels
- Drawstring neck strap

HV Yellow/Green Solid Neck Shade

- 3M™ reflective
- Hook and loop attachment
- HV orange trim

HV Yellow/Green Mesh Neck Shade

- 3M™ Scotchlite™ reflective
- Elastic headband
- HV orange trim

*Hard hat not included

*Hard hat not included

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110

125



Rainwear

FrogWear® HV Rainwear

FrogWear Rainwear allows you to face the elements with full protection and full confidence.



High-Visibility Flame Retardant Rain Jacket

- 3M™ reflective
- ASTM D-6413 treated
- PU coated to repel liquids
- Vented cape back
- Elastic wrists & inner sleeves
- Non-conductive



GLO-1400



High-Visibility Flame Retardant Duster Jacket

- 3M™ reflective
- ASTM D-6413 treated
- PU coated to repel liquids
- Vented cape back
- Elastic wrists & inner sleeves
- 45-47 inches long
- Non-conductive



GLO-1450



High-Visibility Flame Retardant Rain Bibs

- 3M™ reflective
- ASTM D-6413 treated
- PU coated to repel liquids
- Adjustable shoulder straps
- Hook & loop ankle
- Non-conductive



GLO-1700



3-In-1 High-Visibility Rain Suit

- 3M™ reflective material
- Vented cape back
- Corduroy collar
- Adjustable bibs straps
- Heavy duty bib straps buckle



GLO-8000



Product	Sizes	Fabric	Color	Reflective Material	Closure	ANSI Class
GLO-1400	S-5XL	18mm 150D Oxford Polyester	HV Yellow/Green	3M™ Reflective Material	Snaps	Class 3
GLO-1450	M-4XL	18mm 150D Oxford Polyester	HV Yellow/Green	3M™ Reflective Material	Zipper and Snaps	Class 3
GLO-1700	S-5XL	18mm 150D Oxford Polyester	HV Yellow/Green	3M™ Reflective Material	Snap on Fly	Class E
GLO-8000	S-5XL	Polyester/PVC	HV Yellow/Green	3M™ Reflective Material	Snaps	Class 3

Rainwear

GlobalGlove.com | 763-450-0110

127



R6400



R8900



3-In-1 Rain Suit

- Mesh interior
- Yellow trim
- Sizes: S-5XL
- Elastic drawstring waist
- Side pocket access
- 0.18 mm 190T PVC on nylon
- 3 back vents
- Sizes: S-8XL



RYP810



RCP810



RCB89



RSP810



PVC Rain Poncho

- 0.35 mm PVC
- Available in yellow or clear

PVC Raincoat

- 0.35 mm PVC/polyester
- 49 inches long
- Clear name badge holder
- Sizes: M-8XL

3-In-1 Rain Suit

- 0.10 mm PVC/polyester
- Jacket, hood
- Elastic waist pants
- Sizes: S-3XL

Rainwear



Disposable Clothing



NW-COV63

Microporous PE Film Laminated Coverall

- Three layer
- 63 gram weight
- 50% polypropylene 50% polyethylene
- Outer layer: PE-coated for light splash
- Latex-free material
- Dust particulate protection
- Zipper front with storm flap
- Hood, open wrists and ankles
- Excellent outer abrasion resistance
- Packaged: 25 pieces/case



NW-SL63

Microporous Sleeve

- 18 inches long
- Elastic at both ends
- Packaged: 300 pieces/case



NW-SMS300COV

SMS Coverall

- Three layer
- 40 gram weight
- 100% polypropylene
- Zipper front with storm flap
- Hood, open wrists and ankles
- Excellent for dust and particulate protection
- Packaged: 25 pieces/case



NW-SC63

Microporous Shoe Cover

- Elastic top opening
- 42 cm x 17 cm
- Packaged: 500 pieces/case



NW-PPCOV

Lightweight Polypropylene Coverall

- Optimal breathability and comfort
- Collar
- Serged seams
- Packaged: 25 pieces/case



NW-PPSC

Non-Skid Polypropylene Shoe Cover

- Blue non-skid bottom
- Lightweight construction
- 40 cm x 17 cm
- Packaged: 1,000 pieces/case

Products	Sizes	Fabric	Weight	Elastic Areas	Closure	EN 13034 Type 6	EN 13982 Type 5
NW-SMS300COV	S-5XL	SMS	50 Grams	Hood, Ankles, Waist and Wrists	Zipper	Meets	Meets
NW-COV63	S-5XL	Microporous PE Film Laminated	63 Grams	Hood, Ankles, Waist, and Wrists	Zipper	Meets	Meets
NW-PPCOV	S-4XL	Polypropylene	25 Grams	Ankles and Wrists	Zipper	NA	NA
NW-SL63	One Size	Microporous Material	63 Grams	Both Ends	Elastic	NA	NA
NW-SC63	One Size	Microporous Material	63 Grams	Opening	Elastic	NA	NA
NW-PPSC	One Size	Polypropylene	28 Grams	Opening	Elastic	NA	NA

Disposable Clothing



Knee Protection



Premium Gel-Lined and Flame Retardant Knee Pads



KP201JFR



100% Flame Retardant Lined with Jelly-Gel

- Flexible curved FR/TPR swivel hard cap
- Ergonomically curved fit
- Adjustable clip-on closures with buckles



KP102GFR



100% Flame Retardant Cap-Free

- Premium gel-lined style
- Nomex fabric, foam, straps, buckles and thread
- Ergonomically curved fit
- Adjustable clip-on closures with buckles
- Flat surface



KP311G



KP301J



KP111G

Premium Gel-Lined with PVC Hard Cap

- Breathable and stretchable body
- Padded thigh strap, neoprene calf strap
- Ergonomically curved fit
- Adjustable thigh and calf closures

Premium Lined with Jelly-Gel

- Medical-grade PU foam padding
- Diamond-block non-slip cap
- Ergonomically curved cap
- Honeycomb single-knit top layer

Lightweight Gel-Lined Cap-Free

- Heavy-duty nylon face
- Non-slip leather surface
- Ergonomically curved fit
- Upper adjustable strap with buckle closure
- Wide adjustable lower neoprene strap

Knee Protection

Knee Pads and Kneeling Pads



KP201G



KP422



KP411



KP401

Gel-Lined Swivel Cap

- Hard PE swivel cap
- Ergonomically curved fit
- Clip-on closures with buckles

High-Density Padded Cap-Free

- Non-slip leather surface
- Polyester body with high density padding
- Ergonomically curved fit
- Stretchable hook and loop closures

Non-Marring PVC Hard Cap

- Extra long molded PVC hard cap
- Slip resistant ridges
- Ergonomically curved fit
- Clip-on closures with buckles

High-Visibility Hard Cap

- PE hard, curved swivel cap
- Ergonomically curved fit
- Adjustable and stretchable high-visibility hook and loop closures



KP431



KP442



KP452



KP482

Non-Marring Swivel Cap

- Brass riveted PVC curved swivel cap
- Ergonomically curved fit
- Clip-on closure with buckles

Economy Low-Profile

- Foam surface with gripping ridges
- Gripping ridges
- Ergonomically curved fit
- Adjustable hook and loop closure

Disposable, Removable EPE Foam

- Peel-and-stick application
- Fits most working pants
- Can be worn inside or outside of garments
- Can be adhered to surfaces

High-Density NBR Foam Kneeling Pad

- Water-repellent NBR foam
- Carrying handle
- 14 in x 21 in x 1 in with carrying handle

Knee Protection


GlobalGlove.com | 763-450-0110

133

Choosing The Right Hearing Protection

It is critical to use adequate hearing protection to avoid long lasting damage.

Permanent hearing loss can result from extended exposure to unsafe levels of sound. This type of hearing loss is irreversible and cannot be corrected with hearing aids or other equipment. In addition to temporary or permanent hearing loss, loud noises can also create physical and psychological stress and interfere with productivity and communication.



Hearing Protection



Hearing Protection



Earmuffs

You could miss hearing important things because of hearing damage. Don't let uncomfortable earmuffs stop you. Bullhead Safety Hearing Protection is flexible, comfortable and safe.



HP-M3
NRR 22 dB HIGH VISIBILITY ↑↓

Premium Cap-Mounted Earmuff

- Noise Reduction Rating (NRR) 22 db
- Fits most standard slotted hard hats
- Features 3 multi-position pivot points
- Durable ABS cups
- Soft PVC cushions



HP-M1
NRR 23 dB HIGH VISIBILITY ↑↓



HP-M2
NRR 23 dB HIGH VISIBILITY



HP-M4
NRR 27 dB HIGH VISIBILITY

Economy Earmuff

- Noise Rate Reduction (NRR) 23 db
- Durable ABS cups
- Soft PVC ear cushions
- Soft PVC ear cushions

Premium Foldable Earmuff

- Noise Reduction Rating (NRR) 23 db
- Conveniently folds for easy storage
- Durable ABS cups
- Soft PVC ear cushions
- Hi-visibility yellow/green

Premium Padded Earmuff

- Noise Reduction Rating (NRR) 27 db
- Padded band provides increased comfort
- Durable ABS cups
- Soft PVC cushions
- Hi-visibility yellow/green

Hearing Protection

Earplugs



HP-F1



Single-Use Foam Earplugs

- Slow rebound PU foam
- 200 pairs per display box



HP-F2



Single Use Foam Earplugs

- Blue PVC cord
- Slow rebound PU foam
- 100 pairs per display box



HP-FDL1



HP-FDS1



Foam Earplugs Dispenser

- Includes 500 pairs
- Bracket for wall mounting
- 500 pairs refill pack - HP-FDL1-RF

Foam Earplugs Dispenser

- Includes 250 pairs
- Bracket for wall mounting
- 250 pairs refill pack - HP-FDS1-RF



HP-S1



Silicone Tree-Shape Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per display box
- Included carrying case



HP-S2



Silicone Tree-Shape Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per display box
- Included carrying case



HP-S3



Metal Detectable Silicone Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per display box
- Included carrying case

Hearing Protection

GlobalGlove.com | 763-450-0110



Head Protection

Flame Resistant and FR Treated Winter Liners



WL920FR



WL900FR



Inherently FR Flame Resistant Regular-Length Winter Liner

- Meets ASTM F1506 NFPA 70E
- 3M™ FR Thinsulate™
- Modacrylic/cotton red fleece lining
- FR modacrylic/cotton shell
- Warming pockets over ears
- Hard hat attachment
- Hook and loop chin strap

Arc Rating (Ebt) = 31 cal/cm²
Heat Attenuation Factor (HAF) = 91%
NFPA 70E Arc Flash PPE Category: 3

Inherently FR Flame Resistant Shoulder-Length Winter Liner

- Meets ASTM F1506 NFPA 70E
- 3M™ FR Thinsulate™
- Modacrylic/cotton red fleece lining
- FR modacrylic/cotton shell
- Warming pockets over ears
- Hard hat attachment
- Hook and loop chin strap

Arc Rating (Ebt) = 31 cal/cm²
Heat Attenuation Factor (HAF) = 91%
NFPA 70E Arc Flash PPE Category: 3



WL770FR



FR-Treated Shoulder-Length Winter Liner

- FR modacrylic/cotton outer shell
- Foam inner layer
- FR-Treated Red Fleece Lining
- Warming pockets over ears
- Hard hat attachment
- Hook and loop chin strap

Winter Liners

GlobalGlove.com | 763-450-0110

139



Winter Liners and Balaclavas



WL520

Sherpa-Lined Shoulder Length

- Quilted polyester tricot shell
- Foam inner layer
- Warming pockets over ears
- Hook and loop chin strap
- Hard hat attachment



WL420

Economy Shoulder-Length

- Two-layer polyester shell
- Soft, red fleece lining
- Hook and loop chin strap
- Hard hat attachment



WL220

Shoulder-Length Fleece Balaclava

- Soft fleece lining
- Lightweight spandex top



WL500

Sherpa-Lined Regular Length

- Quilted polyester tricot shell
- Foam inner layer
- Warming pockets over ears
- Hook and loop chin strap
- Hard hat attachment



WL400

Economy Regular Length

- Two-layer polyester shell
- Soft, red fleece lining
- Hook and loop chin strap
- Hard hat attachment



WL120

Shoulder-Length Thermal Balaclava

- Soft fleece lining

Winter Liners



Cooling



Bullhead Safety® Cooling Headbands

- Constructed with ultra-absorbent PVA material that quickly dissipates hot moisture from the body
 - Antimicrobial treated to prevent mold and unwanted smells
 - Easy activation with water
 - Cooling benefits up to 5 hours
- 4 style choices - Yellow/Green, Digital Camo, Blue and Red Bandana




GLO-HB1



GLO-S1

GLO-HB2



GLO-S2

GLO-HB3



GLO-S3

GLO-HB4



GLO-S4

Bullhead Safety® Cooling Head Shades


- Constructed with ultra-absorbent PVA material that quickly dissipates hot moisture from the body
 - Antimicrobial treated to prevent mold and unwanted smells
 - Easy activation with water
 - Cooling benefits up to 5 hours
- 4 style choices - Yellow/Green, Digital Camo, Blue and Red Bandana



GLO-CT44



GLO-CT33



GLO-CT1

GLO-CT2

Microfiber Cooling Towel

- Soft, absorbent microfiber
- 12 in x 40 in
- High-visibility orange

Neck Cooling Towel

- Ultra-absorbent PVA material
- 4 in x 40 in
- High-visibility yellow/green
- Bullhead Safety design
- Safe, reusable packaging

Large Cooling Towel

- Ultra-absorbent PVA material
- 16 in x 25.5 in
- High-visibility yellow/green
- Bullhead Safety design
- Safe, reusable packaging

Cooling



A48B



A48Y



A355Y



A17001

2

Nitrile Apron

- 48 inches long
- Long yoke neck
- Snaps on neck strap
- Extra long waist ties
- Available in black or yellow

PVC On Polyester Apron

- .35 mil PVC on polyester
- 50 inches long
- 35 inches wide

Denim Apron

- 36 inches long
- 28 inches wide
- 14 oz denim



B260



BCPE

Hazmat Boots

- 50 mil yellow latex
- Sizes: Medium - 3XL
- Slip resistant sole

CPE Blue Shoe Covers

- Chlorinated polyethylene
- Sizes: L - XL
- 10 pieces per roll
- 10 rolls per bag
- 3 bags per case

Aprons, Foot Protection

GlobalGlove.com | 763-450-0110

143

Global Glove Product Index

30FT	47	540.....33	2250GCDP	96	B260.....143	CR677	21	GLO-B2.....122	KP102GFR	132	S66BB.....103
51MIT	66	550.....31	2250ISDP	96	BCPE.....143	CR700	14	GLO-B2-T.....122	KP111G.....132	S687.....99	
52MIT	66	550B.....31	2300.....97	C10BJINT.....66, 100	C10BJR.....100	CR788	12	GLO-CT1.....142	KP201G.....133	S70RWMT.....66	
100MTC	90	550E.....31	2300DP.....97	C110.....101	CR898MF.....13	CR900LF.....14	GLO-CT2.....142	KP201JFR.....132	S77RW	66	
100MTG	91	550XFT.....31	2300GC.....97	C120.....101	CR913MF.....11	GLO-CT33.....142	KP301J.....132	S90BW.....102			
120.....46	570T.....109	2300HVDP.....91	C120D1.....101	CR915MF.....11	GLO-CT44.....142	KP311G.....132	S92K.....102				
130.....46	590.....33	2300KW.....97	C16Y.....101	CR918MF.....11	GLO-EB1.....123	KP401.....133	S966.....33				
140FB.....47	590MF.....33, 51	2300-LT.....97	C16Y-T.....101	CR919	GLO-G1.....124	KP411.....133	S966E.....33				
150.....46	591F.....63	2300WC.....97	C16Y-T.....101	CR919	GLO-G2.....124	KP422.....133	S966-LT.....33				
150F.....47	594MIT.....63	2350PP.....97	C18BT.....100	CR998MF.....13	GLO-G3.....124	KP431.....133	S988.....33				
150FE.....47	600.....34	2360.....52	C18C.....101	CR999MFF.....13	GLO-H1.....125	KP442.....133	S98G.....102				
160.....47	600KV.....21	2740D.....37	C18DP.....101	CRX5.....13	GLO-H2.....125	KP452.....133	SG2000.....82				
180F.....47	603R.....56	2800F.....63	C18GRC.....77, 101	CRX6.....13	GLO-HB1.....142	KP482.....133	SG2008.....82				
190ETC	47	605PF.....43	2800GDC.....63	C18GRCPB.....77, 101	GLO-001.....118	KS300LF.....22	SG2008SC.....82				
212.....52	607.....34	2800GLP.....63	C18OC.....77, 101	GLO-001V.....119	GLO-H4.....125	KT1350.....25	SG2008T.....82				
240CT.....53	607R.....34	2805.....61	C18OPCB.....77, 101	GLO-001VE.....118	GLO-H5.....125	L100.....102	SG5200INT.....60, 83				
244.....47	610R.....56	2900.....61	C18PCR.....101	GLO-002.....118	GLO-HB1.....142	L114.....102	SG5308.....82				
245CT.....53	612R.....56	2900HV.....61, 92	C24GC.....100	GLO-002ADJ.....117	GLO-HB2.....142	N900.....102	SG7000.....81				
282.....52	612S.....56	2900HVDC.....61, 92	C26HV.....100	GLO-002BA.....117	GLO-HB3.....142	N960.....102	SG7001.....81				
300.....36	614R.....56	2900HVKW.....61, 92	C26WBT.....100	GLO-002V.....118	GLO-HB4.....142	NW-COV63.....130	SG7200INT.....60, 83				
300E.....36	617.....34	2900KW.....61	C30BT.....100	GLO-003.....115	GLO-HS2.....123	NW-PPCOV.....130	SG7300INT.....60, 83				
300IN.....58	617R.....34	3100P.....89	C70BJ.....100	GLO-0035.....115	GLO-NS1.....125	NW-PPSC.....130	SG7300MIT.....60, 83				
300INT	58	618R.....56	3100PHV.....92	C70BJ-2PK.....100	GLO-0036.....118	NW-SC63.....130	SG7700IN.....60, 83				
300KV.....24	624.....63	3150P.....89	C80.....101	GLO-0037.....115	GLO-P1.....123	NW-SL63.....130	SG7722.....81				
300NB	36	660.....37	3200.....88	C80BJC.....100	GLO-0039.....117	NW-SMS300COV.130	SG7755.....84				
300NBE	36	660E.....37	3200B.....88	C80D1.....101	GLO-004.....115	GLO-R1.....125	PUG-10.....35	SG8600.....82			
300P	36	675PF.....41	3200BS.....88	C80RJ.....100	GLO-0045.....115	GLO-S1.....142	PUG-11.....35	SG8800KEV.....23			
300PT	36	695PF.....41	3200D.....86	C90BJ.....100	GLO-0047.....115	GLO-S2.....142	PUG-111.....15	SG9000.....84			
300RV	37	700R.....55	3200DSBRL.....62, 86	CIA317INT.....16, 59	GLO-005ADJ.....117	GLO-S3.....142	PUG-111-VP.....15, 104	SG9001.....84			
300-VP	36, 104	705BPF.....42	3200DST.....86	CIA3200.....23, 71, 88	GLO-005B.....121	GLO-S4.....142	PUG-118.....15	SG9001IN.....59, 84			
303RV	37	705PF.....42	3200DTH.....62, 86	CIA3300.....23, 87	GLO-005B-T.....121	GLO-SJ1.....123	PUG-12.....35	SG9001NF.....84			
305.....42	705PFE.....42	3200DTB.....62, 86	CIA417V.....16, 72, 75	GLO-006.....118	GLO-V1.....114	PUG-13.....35	SG9003.....84				
305PF	42	705PFE-MD.....43	3200G.....87	CIA501MF.....74	GLO-006V.....118	GLO-WB1.....123	PUG-13TS.....35	SG9900INT.....59, 76			
330.....36	710R.....55	3200GINT.....62, 87	CIA520MF.....74	GLO-007B.....121	HP-F1.....137	PUG-14TS.....35	SG9944.....76				
338INT	58	712C.....55	3200HV.....91	CIA5300.....71	GLO-007B-T.....121	HP-F2.....137	PUG-17.....35	SG9955.....76			
348INT	58	712R.....55	3200P.....89	CIA600KV.....21, 75	GLO-008LS.....121	HP-FDL1.....137	PUG-17-VP.....35, 104	SG9955INT.....59, 76			
355KV.....17, 19	714R.....55	3200PP.....89	CIA609.....20, 75	GLO-011.....116	HP-FDL1-RF.....137	PUG-313.....15	SG9966.....76				
360.....37	718R.....55	3200PS.....88	CIA609MF.....20, 74	GLO-011BA.....119	HP-FDS1.....137	PUG-411.....15	SG9966INT.....59, 76				
360HV.....37	726R.....55	3200PTH.....62, 89	CIA609MFV.....20, 74	GLO-0135.....116	HP-FDS1-RF.....137	PUG-417.....15	SG9977.....76				
378INT	58	775PF.....41	3200S.....89	CIA617V.....16, 75	GLO-0145.....116	HP-M1.....136	PUG-517TS.....26	T1250D2.....99			
380INT	58	800F.....41	3200SRF.....89	CIA639.....20, 75	GLO-017.....121	HP-M2.....136	PUG-555TS.....26	T1350.....99			
388INT	58	801.....31	3200T.....88	CIA677.....21, 75	GLO-018.....121	HP-M3.....136	PUG-611.....15	T36.....99			
400.....34	802.....25	3200WH.....91	CIA995MFV.....74	GLO-019.....117	HP-M4.....136	PUG-617.....15	T800HC.....99				
400FC	34	805PF.....43	3300DSIN.....62, 86	CIA998MF.....13, 74	GLO-01BA.....119	HP-S1.....137	TAK14SLT.....106				
417NC	34	880KW.....65	5709.....109	CR100MTC.22, 71, 90	GLO-049.....117	HP-S2.....137	TAK16SL.....106				
440.....37	880-SC.....65	8450.....51, 64, 65	CR1200.....22, 90	GLO-058.....115	HP-S3.....137	PUG-913.....10	TAK18ADJS.....106				
500.....31	888KV.....25	8490.....51, 65	CR1300.....23	GLO-059.....115	HR1008.....81	PUG-915.....9, 10	TAK18SLT.....106				
500G.....32	895.....47	8490MT.....51, 65	CR183NFT.....12	GLO-067.....114	HR3008.....81	PUG-918.....10	TAK24SLGT.....106				
500G-T	32	905PF.....41	8490-T.....51, 65	CR183NFT-RD.....12	GLO-077.....113	HR3200.....80	PUP-27.....35	TAK24SLT.....106			
500-VP	32, 104	908BPF.....41	8620.....52	CR18NFT.....12	GLO-079.....114	HR3200INT.60, 80, 83	R6400.....128	TAK515.....26			
500KV.....24	965BPF.....41	8660.....52, 77	CR18NFT-R.....12	GLO-099.....114	HR3222INT.60, 80, 83	R8900.....128	TAK515-D2.....26				
500MF	28, 32	1005PF.....40, 41	8660HV.....52, 77	CR2100.....22, 95	GLO-10-2IN.....119	HR3222INT.60, 80, 83	RCB89.....128	TG1350.....99			
500MF-T	32	1100PHV.....92	8690.....52	CR292.....23, 51	GLO-10-G-1IN.....119	HR4008.....81, 87	RCP810.....128	TKHV14SL.....106			
500NFT	32	1200.....90	9900.....54	CR309.....21	GLO-10-G-2IN.....119	HR5008.....80	RSP810.....128	TKHV18SLT.....106			
500NFTD	32	1200E.....91	9912.....54	CR317INT.....16, 59	GLO-10-O.....119	HR8500.....80	RYP810.....128	TKHV19W.....106			
500NFT-T	32	1200GE.....91	9912R.....54	CR3200.....23, 71, 88	GLO-10-O-1IN.....119	HR9000.....78, 80	S120C.....102	WL120.....140			
505.....42	1200KB.....90, 91	9914R.....54	CR3300.....23, 87	GLO-11V.....116	HR9000VIS.....80	S13.....103	WL220.....140				
505PF	42	1200KB-LH.....90, 91	9918R.....54	CR336G.....14	GLO-127.....116	IP3DB.....103	S13RB.....103	WL400.....140			
505PF-MD	43	1200-LH.....90	9932.....54	CR336G-S21C.....108	GLO-12LED.....113	K10SL.....107	S13T.....102	WL420.....140			
508NFT-T	32	1900.....94	9932R.....54	CR336-S10.....108	GLO-1400.....127	K10SLT.....107	S13WT.....102	WL500.....140			
508XFT.....30, 31	2000.....94	4195NB2.....100	CR377.....14	GLO-1450.....127	K14SL.....107	S21TC.....108	WL520.....140				
509B.....46	2000DP.....93, 94	A17001.....143	CR3800.....18	GLO-147.....116	K14SLT.....107	S400.....103	WL770FR.....139				
510MFV	33	2100.....95	A17001.....143	CR399.....19	GLO-15LED.....113	K16SL.....107	S51.....103	WL900FR.....139			
511AMB	44, 46	2100FGC.....95	A18D.....108	CR411G.....26	GLO-1700.....127	K18FSLT.....107	S52NFD1.....103	WL920FR.....139			
515.....46	2100GC.....95	A48B.....143	CR488.....12	GLO-200.....120	K18SL.....107	S55.....103	Z1.....104				
515CT	53	2100GCDP.....95	A48Y.....143	CR492.....14, 51	GLO-205.....120	K18SLT.....107	S55D1.....103	Z2.....104			
515F	46	2120.....94	AC2008SC.....27	CR509.....21, 70, 71	GLO-209.....120	K24SLT.....107	S55D2.....103	ZB1.....104			
515KEV	25, 46	2150KFGC.....22, 95	AC3200.....27	CR588MF.....19	GLO-225LS.....120	K300.....24	S55G.....103	ZB2.....104			
519INT	66	2180HV.....92	AC600KV.....21, 27	CR600MF.....19	GLO-2P.....124	K300D2.....24	S60.....103				
520INT	66	2190.....94	AV1121.....68	CR609.....20	GLO-315LED.....113	K300LF.....22	S60SKD.....103				
522.....46	2190DP.....94	AV2000.....68	CR617.....16	GLO-4P.....124	K300LFE.....24	S65BW.....103					
524.....63	2250.....96	AV3008.....68	CR617.....16	GLO-8000.....127	K300PL.....24	S65D2.....103					
530MFG	32	2250DP.....96	AV4900.....68	CR617SC.....16	GLO-88P.....124	K500LF.....18	S65D2-2PK.....103				
530NFTD	32	2250FC.....96	AV805.....50, 53, 68	CR639.....20	GLO-99P.....124	KE300LF.....22	S65D2BW.....103				

Index



See safety in a new light.



Bullhead
Safety® Eyewear

BullheadSafety.com

**Comfort
Protection
Performance**



Head Protection

Knee Protection

Cooling

Hearing Protection



763-450-0110
GlobalGlove.com
sales@GlobalGlove.com
Ramsey, Minnesota